

DI4522



Product Family Dishwashers 45 cm Commercial width Commercial height 82 cm

Installation Fully-integrated built-in

Kitchen panel Not supplied

N° baskets

EAN code 8017709302931



Programs











N. of programmes 6 Washing temperatures 50,60°C Yes Express 50° Yes

ECO Self clean Mix 60° Auto 50°-60°

Yes Yes Yes

Yes

Options





Delay timer option

3 hours

Extreme option

Yes

Baskets



Basket colour Grey **Basket components** Grey

colour

Handle In plastic on upper and

lower basket

With central fixed racks

On two levels (4 cm)

Upper Basket Height adjustment of

the upper basket

Largest loadable dish in 20,0 cm upper basket

Lower Basket

With fixed racks Lower basket with anti- Yes

drip inserts

Largest loadable dish in 31,5 cm

lower basket

Colour Inner Components Grey

Cutlery basket

Yes



Technical Features





446 mm Width (mm) 550 mm Depth (mm) Product Height (mm) 818 mm Controls Electronic

Delayed start, Programme Display time indicator,

Consumptions Programme graphics Symbols On/off indicator Yes Salt light indicator Liaht

Rinse aid indicator Light End of cycle indicator Acoustic signal Washing system Standard Water softener With electronic setting

Flood protection system **Total Acquastop**

Single; cold/hot water max. Water supply

60°C - energysave with hot water up to 35%

Max water hardness

Drying system

Natural condenser drying, with Dry Assist + automatic door opening system at the

end of the cycle

90°fH; 50°dH

Steam protection In plastic Tub material Stainless steel Filter Stainless steel

Concealed heating

element

Hinges Self balancing, Sliding,

FLEXIFIT 2 - 7,5 kg

40 - 175 mm

Yes

Min. and max. frontal

panel weight

Min. and max plinth

height

Adjustable feet Additional aaskets Depth of dishwasher with open door (mm)

Back feet adjustable

from front

6 cm, from 820 to 880 mm

Yes 1200

Yes

Performance / Energy Label - Reg. 2019







Energy Efficiency Class Energy consumption 70 KWh

[per 100 cycles, based on the eco programme] Rated capacity (ps)

Water consumption [per 9,9 litres

cycle]

Programme duration Airborne acoustical

noise emissions Airborne acoustical noise emission class

Energy efficiency Index

(EEI)

4:00 h:min

46 dB(A) re 1 pW

С

55,9

Electrical Connection

Plug (F;E) Schuko Connected power 1950 W Current 10 A 220-240 V Voltage


Frequency (Hz) Type of connection Power supply cable

length

50 Hz

Single-phase 140 cm







Compatible Accessories

KITPLV2

Kit extension for dishwasher and washing machine: lenght mt. 2





Symbols glossary



To improve the drying of dishes without leaving stains.



Energy efficiency class E



82 cm high



Delay Timer: Option to postpone the start of the desired programme by up to 24 hours in order to programme the dishwasher to run at the desired time.



The FlexiFit hinges allow the kitchen panel to slide over the dishwasher door, allowing a minimum kitchen plinth height of 5 cm.



Noise Level: Excellent insulation and special devices keep noise to a minimum.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Soak programme: The soak programme provides a rinse to prevent dirt from drying.



A quick programme suitable for washing a load with fresh and light soil.



Dishwasher cleaning cycle. The cycle should be started with the machine empty, without dishes. It is recommended to run the program every 2-3 months, using special dishwasher detergents.



Wash cycle for normally soiled mixed loads such as dishes and pans, even with dried-on residues. When this program is selected, the dishwasher recognises the type of dirt and automatically adjusts the washing parameters as appropriate.



Total Acquastop: In addition to the partial Acquastop protection present in all Smeg dishwashers, some models have an electronic device fitted to the water intake hose, which monitors water levels in the machine, detects leaks in the hose and switches off the water supply immediately when necessary.



Programme suitable for washing and drying normally soiled items.



Option which improves the washing results of the selected programme. It increases the wash temperature and duration.



System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.



The work aimed at continuous improvement has allowed the creation of the second generation of the Inverter motor 2.0, characterised by greater efficiency and durability over time, which allows very high performance and a lower energy consumption and noise level.



Benefit (TT)

Glassy Touch Display

The easy and intuitive lexan touch display guides the user towards conscious and sustainable choices, reducing waste

The display, featuring indicators for dirt level, water usage, and energy consumption, enables users to optimise efficiency, minimise waste, and address daily needs with an eco-conscious approach. With a range of available options, it allows for customised washing and consumption settings tailored to individual preferences, consistently delivering exceptional results with minimal environmental impact.

Flexifit hinge system

Smooth-running door for optimal integration into the kitchen deisgn

The height of the plinth can vary from 5 cm to 21.5 cm, allowing it to fit perfectly into the cabinet. Thanks to this solution, the dishwasher blends harmoniously into its surroundings, with the door and plinth perfectly aligned with the other kitchen furniture.