

DIFABBL







Product Family

Width 60 cm 82 cm Commercial height

Installation Under counter built-in

Kitchen panel Not supplied N° baskets 3, FlexiDuo Motor Inverter 2.0

EAN code 8017709307882



Programmes

















Dishwashers







No. of programmes

Washing temperatures 38, 45, 50, 55, 65, 70, 75 °C

Soak Express 27' Yes Crystal Yes

Full express - 60

minutes

ECO

10 + 1

Yes

Yes

Auto sensor 45-65

Quiet (-2 dB) Intense

Self clean Hygiene 99,9%

Yes Yes

Yes Yes Yes

Yes

Options









Dry Assist+ option **Delay timer option**

Up to 9 hours, with automatic soak

1/2 load FlexiZone option (varied distribution)

Yes

Special programs option Yes

Baskets





Basket colour Grey

Basket components colour

Grey

Largest loadable dish in 19,0 cm

upper basket

With 4 foldable racks Lower Basket



Handle In plastic on upper and

lower basket

Upper Basket

Glass holder

Height adjustment of the upper basket

Upper basket with EasyGlide System

With 3 foldable racks

Yes

On three levels

Yes

Lower basket with anti- Yes

drip inserts

Largest loadable dish in 30,0 cm

lower basket

Colour Inner

Components

Cutlery basket Yes

Technical Features







Width (mm)

Depth (mm) Display type

Product Height (mm) Controls

Display Programme graphics

On/off indicator Salt light indicator Rinse aid indicator

End of cycle indicator Washing system

Third spray arm

Water softener **Turbidity sensor**

Aquatest

598 mm

545 mm 1 digit

818 mm Electronic

Delayed start

Symbols and label

Yes Liaht Light

> Acoustic signal Planetarium

Single

63 kWh

13

With electronic setting

Yes

Flood protection system Total Acquastop

Water supply

Single; cold/hot water max. 60°C - energysave with hot

water up to 35% 100°fH:58°dH

Grey

Max water hardness Drying system

Natural condenser drying, with Dry Assist + automatic

door opening system at the

end of the cycle

Steam protection In plastic Stainless steel Tank material Filter Stainless steel

Concealed heating

element

Hinges

Self balancing with fixed

hinges

100 - 228 mm

Yes

Min. and max plinth

height

Adjustable feet

Back cover Depth of dishwasher

with open door (mm)

Back feet adjustable

from front

Top cover

7cm, from 820 to 890 mm

Yes 1146

Yes

In plastic

Performance / Energy Label









Energy Efficiency Class

(Washing cycle) **Energy consumption**

[per 100 cycles, based on the eco programme] Rated capacity (ps) Water consumption [per 9,0 litres

cycle]

Programme duration Airborne acoustical

noise emissions (spinning phase) Airborne acoustical

Energy efficiency Index (EEI) (Washing cycle)

4:25 h:min

44 dB(A) re 1 pW

R noise emission class

37.9



Electrical Connection

Plug (G) UK e Singapore


Connected power 1800 W
Current 13 A
Voltage 220-240

220-240 V

Frequency (Hz) 50 Hz

Type of connection Single-phase

Power supply cable 140 cm
length





Compatible Accessories

KITGH



Kit glass holder. It has to be fitted on the first basket but only if there are foldable racks

KITPL60FABN



Toekick Kit in Black colour with adjustable height. Can be fitted over all the fully integrated and underbench models with Fixed Fulcrum. Can be installed also on the models with variable fulcrum or flexifit hinges.

KITPLV2



Kit extension for dishwasher and washing machine: length mt. 2

KITPL60FABB

Toekick Kit in White colour with adjustable height. Can be fitted over all the fully integrated and underbench models with Fixed Fulcrum. Can be installed also on the models with variable fulcrum or flexifit hinges.

KITPL60FABX

Toekick Kit in Stainless Steel with adjustable height. Can be fitted over all the fully integrated and underbench models with Fixed Fulcrum. Can be installed also on the models with variable fulcrum or flexifit hinges.



Alternative products



DIFABCR

Colour: Cream



Symbols glossary



Aquatest measures the clarity of the water during an auto program, and automatically ensures the minimum consumption of water and energy.



Anti-drip: Some models of dishwashers are equipped with special polymer nozzles anti-drip, that improve the process of drying.



COMM_HEIGHT_82_72dpi



Delay Timer: The delay timer can postpone the start of the program by up to 24 hours.



EasyGlide: Convenient EasyGlide system for easy unloading of the appliance that allows reaching maximum flexibility of load of the machine.



FlexiDuo: The FlexiDuo 3rd cutlery basket allows you to arrange cutlery or small cups, ladles, or bulky utensils however you like: it consists of two separate and moveable modules.



FlexiZone: The ½ load flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed.



Noise Level: Excellent insulation and special devices keep noise to a minimum.



PLANETARIUM_WASHING_SYSTEM_72dpi



Auto 45°- 65°: The auto programme regulates the length of a cycle depending on the need for a pre-wash and the number of rinses required.



Crystals: The Crystals programme is dedicated to delicate dishes such as glasses and china.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Normal programme: The normal programme is suitable for normal degrees of dirt for everyday use.



Soak programme: The soak programme provides a rinse to prevent dirt from drying.



Rapid 27 Mins: The rapid 27 mins quick program takes just 27 minutes to wash a load.



Ultraclean: The Ultraclean option performs a final rinse at a high temperature of 70°c eliminating virtually all bacteria.



The symbols show the number of plate settings of the dishwasher.



Total Acquastop: In addition to the partial Acquastop protection present in all Smeg dishwashers, some models have an electronic device fitted to the water intake hose, which monitors water levels in the machine, detects leaks in the hose and switches off the water supply immediately when necessary.



System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.



. .





ŝ> ...

The Dry Assist + option, in addition to saving energy, ensures perfect drying of the dishes by opening the door automatically at the end of the wash c





Energy efficiency class B



HYGIENE 99.9% High-temperature washing programme. The 75° rinse guarantees the removal of 99.9% of germs and bacteria, making it ideal for sanitising



The work aimed at continuous improvement has allowed the creation of the second generation of the Inverter motor 2.0, characterised by greater efficiency and durability over time, which allows very high performance and a lower energy consumption and noise level.



Benefit

FlexiDuo

For added convenience, the flexible third basket—FlexiDuo—adapts to accommodate various types of dishes, giving you extra space and better organisation with every load

The third FlexiDuo basket consists of two separate sections that can be handled independently of each other, stacked and/or removed, offering loading flexibility for every need. Depending on the arrangement, it allows cups, tall glasses, bulky utensils and pots and pans to be placed in the upper basket.

Planetarium Wash System

Smeg's unique Planetarium Wash System uses a specially designed spray arm to deliver full, deep cleaning coverage across every corner of the dishwasher

Smeg's patented Planetarium Wash System guarantees impeccable cleaning. With a simultaneous double movement of the sprayer and 65 rotations per minute, it reaches every nook and cranny for extraordinary results. Dishes, glasses and utensils will be perfectly clean in no time. An intelligent system where efficiency and style meet, delivering brilliant results effortlessly.

DryAssist+

At the end of the cycle, the Dry Assist+ feature automatically opens the door to speed up drying and improve energy efficiency