





















DNP83SEUK

|                  |                     |
|------------------|---------------------|
| EAN Code         | 8017709327484       |
| Product Family   | Tumble dryer        |
| Commercial width | 60 cm               |
| Commercial depth | Standard (54 cm)    |
| Installation     | Free-standing       |
| Drying system    | Heat pump condenser |
| Load type        | Frontal             |



Programs

|   |   |  |
|---|---|--|
| Controls  | Electronics   |  |
| Programme graphics  | Written in EN   |  |
| No. of programmes   | 15  |  |
| Programmes  |   |  |
|  Cotton ECO       |  Rapid         |  Hygiene Drying |
|  Refresh Hygiene  |  Steam Refresh |  Cotton         |
|  Synthetic        |  Silent        |  Outdoor        |
|  Shirts           |  Jeans         |  Mix            |
|  Timed Programmes |  Wool          |  Duvet          |
| Special programmes  |   |  |
|  Hygiene Drying   |  Outdoor       | Refresh Hygiene  |
| Silent  | Steam Refresh   |  |
| Display   |   |  |
| Time Drying   | Delay start   | Residual time indicator  |
| Visualisation of the selected options   |   |  |

|                                    |   |
|------------------------------------|---|
| Display type                       |  |
| Programme progress indicator       |  |
| End of cycle indicator             |  |
| Clean filter indicator             | Yes   |
| Condenser container full indicator | Yes   |

## Technical Features



|                       |                    |  |  |
|-----------------------|--------------------|--|--|
| Type of motor         | Brushless/Inverter | Door size  | 40 cm  |
| Functioning           | Electronic control | Max. door opening angle                              | 160 °  |
| Humidity sensor       | Yes                | Door hinges  | Right  |
| Time drying selection | From 10 to 160 min | Reversible door                                      | Yes  |
| Cooling down phase    | Yes                | Child lock (programme set lock)                      | Yes  |
| Anti-iron phase       | Yes                | Water condenser position                             | At the top   |
| Internal light        | Yes                | Heating pump system                                  | Yes  |
| Condenser filter      | Yes                | Type of cooling gas                                  | R290   |
| Fluff filter          | Yes                | Amount of cooling gas in kg                          | 0.149  |
| Drum material         | Stainless steel    | Condenser water drain hose                           | Yes  |
| Drum volume           | 110 l              | Column installation, with compatible washing-machine | With stacking kit, available as optional accessory |
| Transparent door      | Yes                |  |  |

## Performance / Energy label – Reg 2023


|      |            |
|------|------------|
| Type | Condensing |
|------|------------|

## Electrical Connection

|                 |           |                           |                    |
|-----------------|-----------|---------------------------|--------------------|
| Connected power | 800 W     | Frequency (Hz)            | 50 Hz              |
| Current         | 10 A      | Power supply cable length | 150 cm             |
| Voltage (V)     | 230-240 V | Plug                      | (G) UK e Singapore |

## Logistic Information

|            |        |                     |        |
|------------|--------|---------------------|--------|
| Width (mm) | 598 mm | Product Height (mm) | 846 mm |
| Depth (mm) | 607 mm |                     |        |



---

## Compatible Accessories



























---



### KITSPNC

Stacking kit dedicated to WN & DN Dimension (mm): L598xH35xP618

## Symbols glossary

|  |  |   |   |
|--|--|---|---|
|    | A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.                                      |    | Easy Iron: this is an option which can be selected to ensure the finished laundry is left with less creases to make ironing easier.   |
|    | Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.                                       |    | Delay timer: can be set to run the programme at a convenient time or to take advantage of off-peak energy periods.  |
|    | LED display: to show programmes, functions and options selected and the time to the end of the cycle.  |    | 40 cm: Large loading hatch of 40 cm in diameter, makes laundry loading and unloading easier and faster with maximum ease of use.  |
|    | This shows the amount of laundry that can be inserted into the tumble dryer in KG.   |    | Humidity sensor: allows to adjust dryer to obtain the desired drying level (Iron dry, Cupboard dry and Extra dry), saving time and reducing energy consumption. In addition, manual adjusting allows you to program drying time according to your preferences.  |
|    | End: Show the stage at which the program is in progress: the program has finished.   |    | Internal lights: help to illuminate the inside of the drum.   |
|  | Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption. |  | Eco 40-60: reference programme defined by EU regulations for measuring the energy performance of washing machines. Ideal for normally soiled cotton garments washable at 40 °C or 60 °C, it provides an excellent balance between cleaning performance and savings, although it requires a longer washing time. |
|  | Program for drying cotton items including sheets, pillow cases, pajamas, lingerie, tablecloths, etc  |  | For fiber duvets indicating suitability on the label  |
|  | For high speed centrifuged jeans   |  | For synthetic fabrics without pigments and for cotton   |
|  | Short ventilation for cotton and linen garments without blowing hot air  |  | Gentle drying for shirts avoiding the formation of folds  |
|  | Selection of timed cycles at low temperatures.   |  | To dry wool clothes placed on a suitable basket   |
|  | Super fast: a programme designed to wash small amounts of laundry fast, ideal for washing lightly soiled garments.                                       |  | Steam Option: the steam is perfect for smoothing out creases, refreshing fabrics, neutralizing odors and releasing dirt, destroying allergens more quickly than by washing the item in water.   |
|  | Shows the phase of program: Shows the phase in which the program is being.   |  | Special program for garments / fabrics, such as children's clothes, which require sanitized and delicate washing.   |
|  | The noise level is minimized   |  | This programme is suitable for outdoor clothing, waterproof jackets, jackets with inner insulation, etc. Thanks to the delicate temperature and the delicate movement of the drum, it treats the garments better to protect the external fabrics.   |



---

Program for delicately treating garments in synthetic or mixed fabrics, such as t-shirts and blouses.