

# DOSF6300X





Category Double in column

Product Family

Power supply

Heat source

Heat source second cavity

Coven

Electric

ELECTRICITY

Cooking method Thermo-ventilated Cooking Method Secondary Oven Static

Cleaning system Ever Clean enamel EAN code 8017709273583



#### **Aesthetics**

Aesthetic Classica Serigraphy type Symbols

ColourStainless steelDoorWith 2 horizontal strips

FinishingFingerproofHandleClassicDesignFlatHandle ColourInoxMaterialStainless steelLogoEmbosse

MaterialStainless steelLogoEmbossedType of steelBrushedControl knobsClassicGlass TypeEclipseControls colourSteel effectSerigraphy colourBlack

Programs / Functions

No. of cooking functions

Traditional cooking functions

© Circulaire Eco Eco Large grill

Fan grill (large)

## **Programs / Functions Auxiliary Oven**

No. of functions Secondary oven 4



Traditional cooking functions, cavity 2

Static

Eco

Small grill

Large grill

**Controls** 

DIGI

Display name DigiScreen Control setting Knobs & touch buttons

**LED** No. of controls Display technology

**Options** 

Time-setting options

Delay start and automatic

Timer

1 Rapid pre-heating Yes

Minute minder Yes

**Options Auxiliary Oven** 

Time-setting options No delay options

**Technical Features** 

Capacity (Lt)









68 I

end cooking



Minimum Temperature 50 °C 250 °C Maximum temperature No. of shelves 5 N. of fans 1 No. of lights

Light type Halogen User-replaceable light Yes **Light Power** 40 W 1800 W Grill element - power Circular heating element 2700 W

- Power

Heating suspended Yes when door is opened

Door opening type Standard opening Door Temperate door

Removable door Yes Full glass inner door Yes Removable inner door Yes Total no. of door glasses 3

Cooling system **Tangential** Cooling duct Double Speed Reduction Yes

Cooling System

360x444x425 mm Usable cavity space

dimensions (HxWxD)

Temperature control Electro-mechanical Cavity material Ever clean Enamel

Second Oven Technical Features















Minimum Temperature 50 °C

Maximum temperature 270 °C

No. of shelves 2

Tiliting grill Yes

No. of lights 1

Light typeHalogenLight Power40 WBottom heating element1200 W

power

Upper heating element - 1000 W

Power

Grill element - power 1700 W
Large grill - Power 2700 W
Removable door Yes
Full glass inner door Yes
Removable inner door Yes
No. of total door glasses 3
No. of thermoreflecting 1

door glasses

Usable cavity space dimensions (HxWxD)

169x440x443 mm

## Performance / Energy Label





Energy efficiency class A
Net volume of the cavity 70 I
Energy consumption in 2,88 MJ

forced air convection Energy consumption per 0,80 kWh cycle in fan-forced

convection

Number of cavities 2
Energy efficiency index 95,2 %
Energy Efficiency Index, 120 %

second cavity

### Performance /Energy Label - Second Cavity







Energy efficiency class, B

second cavity

Energy efficiency class, B

second cavity

Energy consumption per 0,84 kWh

cycle in conventional mode, second cavity

Consumo di energia per 3,02 MJ

ciclo in convezione naturale, seconda

cavità

Net volume of the 35 l second cavity

Gross volume of second 41 l

cavity

Cavity type EN 50304

second oven

medium

2

#### Accessories Included

Rack with back and side 2

stop

Enamelled deep tray 2

(40mm)

Insert gird


#### **Electrical Connection**

**Voltage 2** 220-240 V **Voltage 2** 380-415 V



Plug Current Nominal power Not present 21 A 4800 W Frequency (Hz)
Power supply cable
length

50/60 Hz 150 cm





## **Compatible Accessories**

GTP

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



### Symbols glossary





4.3 inch display with LED technology, usability with knobs + 3 touch keys



Electric



Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking



Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.



ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment



Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.



Fan grill: very intense heat coming only from above from a double heating element The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat.



The inner door glass: can be removed with a few quick movements for cleaning.



Air cooling system: to ensure a safe surface temperatures.



Triple glazed doors: Number of glazed doors.



B: Product energy rating, measured from A+++ to D / G depending on the product family.



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.



Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.



ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment



Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



Side lights: Two opposing side lights increase visibility inside the oven.





Rapid preheating: cooking is preceded by the preheating phase which allows the cooking compartment to reach the set temperature. This option reduces the time by up to 50%.



The oven cavity has 2 different cooking levels.



The oven cavity has 5 different cooking levels.



Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



# Benefit (TT)

### Rapid pre-heating

Reduction in cooking cavity heating time by up to 50%