

DOSF6390X



| | |
|-------------------------------|-------------------------------------|
| Category | 60cm Double Ovens (Built-in Column) |
| Product Family | Oven |
| Power supply | Electric |
| Heat source | Electric |
| Heat source second cavity | Electric |
| Cooking method | Thermo-ventilated |
| Cooking Method Secondary Oven | Static |
| EAN code | 8017709214203 |



Aesthetics


| | | | |
|-------------------|-----------------|-----------------|--------------------------|
| Aesthetics | Classic | Serigraphy type | Symbols |
| Colour | Stainless steel | Door | With 2 horizontal strips |
| Finishing | Fingerproof | Handle | Classic |
| Design | Flat | Handle Colour | Stainless steel |
| Material | Stainless steel | Logo | Embossed |
| Type of steel | Brushed | Control knobs | Classic |
| Glass Type | Eclipse | Controls colour | Steel effect |
| Serigraphy colour | Black | | |

Programs / Functions

| | |
|-------------------------------|----|
| No. of cooking functions | 9 |
| Automatic programmes | 20 |
| Traditional cooking functions | |



Turbo (circulaire + bottom + upper + fan)



Other functions



Defrost by time



Defrost by weight



Proving



Sabbath

Cleaning functions



Vapor Clean

Programs / Functions Auxiliary Oven

No. of functions Secondary oven 4

Traditional cooking functions, cavity 2



Static



ECO



Small grill



Large grill

Controls

Display technology

LCD

Control setting

Control knobs

No. of controls

4

Options



Time-setting options

Delay start and automatic end cooking

Minute minder

Yes

Controls Lock / Child Safety

Yes

Showroom demo option

Yes

Options Auxiliary Oven

Time-setting options

No delay options

Technical Features



Capacity (Lt)

68 l

Heating suspended when door is opened

Yes

Minimum Temperature

30 °C

Door

Fresh Touch

Maximum temperature

280 °C

Removable door

Yes

Shelf positions

5

Full glass inner door

Yes

No. of lights

1

Removable inner door

Yes

Light type

Halogen

Total no. of door glasses

3

Light power

40 W

| | | | |
|----------------------------------|--------|--|--------------------|
| Light when door is opened | Yes | Cooling system | Tangential |
| Lower heating element power | 1200 W | Cooling duct | Double |
| Upper heating element - Power | 1000 W | Speed Reduction | Yes |
| Grill element - power | 1700 W | Cooling System | |
| Large grill - Power | 2700 W | Usable cavity space dimensions (HxWxD) | 316x444x425 mm |
| Circular heating element - Power | 2000 W | Temperature control | Electro-mechanical |
| | | Cavity material | Easy clean enamel |

Second Oven Technical Features



| | | | |
|-------------------------------|---------|--|----------------|
| Minimum Temperature | 50 °C | Grill element - power | 1700 W |
| Maximum temperature | 270 °C | Large grill - Power | 2700 W |
| Shelf positions | 2 | Removable door | Yes |
| Tilting grill | Yes | Full glass inner door | Yes |
| No. of lights | 1 | Removable inner door | Yes |
| Light type | Halogen | No. of total door glasses | 3 |
| Light power | 40 W | No. of thermoreflecting door glasses | 1 |
| Bottom heating element power | 1200 W | Usable cavity space dimensions (HxWxD) | 169x440x443 mm |
| Upper heating element - Power | 1000 W | | |

Performance / Energy Label



| | | | |
|---|-----------|---|----------|
| Energy efficiency class | A | Energy consumption per cycle in fan-forced convection | 0,80 kWh |
| Net volume of the cavity | 70 litres | | |
| Energy consumption per cycle in conventional mode | 0,99 kWh | Number of cavities | 2 |
| Energy consumption in conventional mode | 3,56 MJ | Energy efficiency index | 95,2 % |
| Energy consumption in forced air convection | 2,88 MJ | Energy Efficiency Index, second cavity | 105,7 % |

Performance /Energy Label - Second Cavity



| | | | |
|--|----------|---------------------------------|-------------------|
| Energy efficiency class, second cavity | A | Net volume of the second cavity | 35 litres |
| Energy efficiency class, second cavity | A | Gross volume of second cavity | 41 l |
| Energy consumption per cycle in conventional mode, second cavity | 0,74 kWh | Cavity type EN 50304 | small second oven |


Consumo di energia per 2,66 MJ
 ciclo in convezione
 naturale, seconda
 cavità

Accessories Included

| | | | |
|--------------------------------------|---|------------------|-----|
| Chrome shelf with back and side stop | 2 | Grill mesh | 2 |
| Extra deep enamelled tray (40mm) | 2 | Catalytic Panels | Yes |

Electrical Connection

| | | | |
|-------------------|-----------|---------------------------|-----------|
| Voltage | 220-240 V | Voltage 2 (V) | 380-415 V |
| Plug | No | Frequency (Hz) | 50/60 Hz |
| Current | 26 A | Power supply cable length | 150 cm |
| Nominal power (W) | 5900 W | | |



Compatible Accessories

GTP



**Partially extractable telescopic guides
(1 level)** Extraction: 300 mm Material:
Stainless steel AISI 430 polished

GTT



**Totally extractable telescopic
guides (1 level)** Extraction: 433 mm
Material: Stainless steel AISI 430
polished

Symbols glossary

| | | | |
|--|---|---|--|
|  | A: Product drying performance, measured from A+++ to D / G depending on the product family |  | Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed. |
|  | Air cooling system: to ensure a safe surface temperatures. |  | Defrost by time: with this function the time of thawing of foods are determined automatically. |
|  | Defrost by weight: With this function the defrosting time is determined |  | Triple glazed doors: Number of glazed doors. |
|  | Electric |  | Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it. |
|  | Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new. |  | Fresh Touch: Most of Smeg ovens have a "cool door." Thanks to the combination of tangential cooling and internal heat-reflecting glasses, the temperature on the outer surface of the door is maintained below 50° C. In addition to providing safety, this system protects the sides of the furniture from overheating by the oven. |
|  | Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food. |  | Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods. |
|  | Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top of the oven will always be hottest. Ideal for roast, fruit cakes, bread etc. |  | Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles. |
|  | Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food. |  | ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food. |
|  | ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food. |  | Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon. |

| | | | |
|--|---|---|---|
|  | <p>Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.</p> |  | <p>Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.</p> |
|  | <p>Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.</p> |  | <p>All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.</p> |
|  | <p>The inner door glass: can be removed with a few quick movements for cleaning.</p> |  | <p>Side lights: Two opposing side lights increase visibility inside the oven.</p> |
|  | <p>ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.</p> |  | <p>Air at 40°C provides the perfect environment for proving yeast type dough mixes. Simply select the function and place dough in the cavity for allotted</p> |
|  | <p>Sabbath: This function allows you to cook food whilst respecting the provisions of the Jewish day of rest.</p> |  | <p>The oven cavity has 2 different cooking levels.</p> |
|  | <p>The oven cavity has 5 different cooking levels.</p> |  | <p>Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.</p> |
|  | <p>Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.</p> |  | <p>The capacity indicates the amount of usable space in the oven cavity in litres.</p> |
|  | <p>The capacity indicates the amount of usable space in the oven cavity in litres.</p> |  | <p>The capacity indicates the amount of usable space in the oven cavity in litres.</p> |
|  | <p>The capacity indicates the amount of usable space in the oven cavity in litres.</p> | | |