

# DRC08EE

|                         |                     |
|-------------------------|---------------------|
| <b>EAN Code</b>         | 8017709360146       |
| <b>Product Family</b>   | Tumble dryer        |
| <b>Commercial width</b> | 60 cm               |
| <b>Commercial depth</b> | Slim (46 cm)        |
| <b>Installation</b>     | Free-standing       |
| <b>Drying system</b>    | Heat pump condenser |
| <b>Load type</b>        | Frontal             |



## Programs

|   |  |  |  |
|---|--|--|--|
| <b>Controls</b>   | Electronics  |  |  |
| <b>Programme graphics</b>   | Written in IT  |  |  |
| <b>No. of programmes</b>  | 15   |  |  |
| <b>Programmes</b>   |  |  |  |
|  Cotton ECO |  Rapid            |  Hygiene Drying |  |
|  Bed sheet  |  Cotton           |  Synthetic      |  |
|  Towels     |  Outdoor          |  Delicates      |  |
|  Refresh    |  Shirts           |  Jeans          |  |
|  Mix        |  Timed Programmes |  Duvet          |  |

### Special programmes

|   |   |   |
|---|---|---|
|  Hygiene Drying |  Outdoor |  Refresh |
|  Quick          |  Shirts  |   |

### Display

|                  |             |                         |
|------------------|-------------|-------------------------|
| Program duration | Delay start | Residual time indicator |
|------------------|-------------|-------------------------|

Visualisation of the selected options

---

|                                    |   |
|------------------------------------|---|
| Display type                       |  |
| Programme progress indicator       |  |
| End of cycle indicator             |  |
| Clean filter indicator             | Yes   |
| Condenser container full indicator | Yes   |

## Technical Features



|                       |                    |                                 |            |
|-----------------------|--------------------|---------------------------------|------------|
| Type of motor         | Standard           | Door size                       | 40 cm      |
| Functioning           | Electronic control | Max. door opening angle         | 155 °      |
| Humidity sensor       | Yes                | Door hinges                     | Right      |
| Time drying selection | From 10 to 160 min | Child lock (programme set lock) | Yes        |
| Cooling down phase    | Yes                | Water condenser position        | At the top |
| Combined filter       | Yes                | Heating pump system             | Yes        |
| Fluff filter          | Yes                | Type of cooling gas             | R290       |
| Drum material         | Galvanized         | Amount of cooling gas in kg     | 0.115      |
| Drum volume           | 110 l              | Condenser water drain hose      | Yes        |
| Transparent door      | Yes                |                                 |            |

## Performance / Energy label – Reg 2023



|  |                  |   |      |
|--|------------------|---|------|
| Load capacity (cotton)                                     | 8 kg             | Energy efficiency class                             | E    |
| Noise level for the standard cotton programme at full load | 64 dB(A) re 1 pW | Weighted energy consumption in kWh per drying cycle | 1,44 |
| Time of the standard cotton program at full load           | 209 min          | Acoustic airborne noise emission class              | B    |
| Time of the standard cotton program at partial load        | 125 min          | Condensation efficiency class                       | C    |
| Type   | Condensing       | Condensation efficiency                             | 82 % |


## Electrical Connection

|                 |           |                           |              |
|-----------------|-----------|---------------------------|--------------|
| Connected power | 900 W     | Frequency (Hz)            | 50 Hz        |
| Current         | 10 A      | Power supply cable length | 150 cm       |
| Voltage (V)     | 230-240 V | Plug                      | (F;E) Schuko |

## Logistic Information

Width (mm) 598 mm  
Depth (mm) 546 mm

Product Height (mm) 846 mm



## Symbols glossary

|  |   |   |   |
|--|---|---|---|
|    | Easy Iron: this is an option which can be selected to ensure the finished laundry is left with less creases to make ironing easier. |    | Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.  |
|    | Energy efficiency class E   |    | Delay timer: can be set to run the programme at a convenient time or to take advantage of off-peak energy periods.  |
|    | LED display: to show programmes, functions and options selected and the time to the end of the cycle.                               |    | 40 cm: Large loading hatch of 40 cm in diameter, makes laundry loading and unloading easier and faster with maximum ease of use.  |
|    | This shows the amount of laundry that can be inserted into the tumble dryer in KG.  |    | Humidity sensor: allows to adjust dryer to obtain the desired drying level (Iron dry, Cupboard dry and Extra dry), saving time and reducing energy consumption. In addition, manual adjusting allows you to program drying time according to your preferences.  |
|    | End: Show the stage at which the program is in progress: the program has finished.  |    | Noise Level: Excellent insulation and special devices keep noise to a minimum.  |
|  | Cotton, linen and colored fabrics that do not fade  |  | Eco 40-60: reference programme defined by EU regulations for measuring the energy performance of washing machines. Ideal for normally soiled cotton garments washable at 40 °C or 60 °C, it provides an excellent balance between cleaning performance and savings, although it requires a longer washing time. |
|  | Program for drying cotton items including sheets, pillow cases, pajamas, lingerie, tablecloths, etc                                 |  | Delicate garments that allows the drying  |
|  | For fiber duvets indicating suitability on the label  |  | Special program for garments / fabrics, such as children's clothes, which require sanitized and delicate washing.   |
|  | For high speed centrifuged jeans  |  | For synthetic fabrics without pigments and for cotton   |
|  | Gentle drying for shirts avoiding the formation of folds  |  | Selection of timed cycles at low temperatures.  |
|  | Super fast: a programme designed to wash small amounts of laundry fast, ideal for washing lightly soiled garments.                  |  | Refresh: an ideal program to refresh the garments that have been kept for a long time indoors and eliminate unpleasant odors, without having to wash.   |
|  | Shirts: a cycle to wash shirts in a short time with the utmost care, using a delicate spin for easy ironing.                        |  | Shows the phase of program: Shows the phase in which the program is being.  |



Program dedicated to drying thick cotton laundry, such as towels, bathrobes, etc.



This programme is suitable for outdoor clothing, waterproof jackets, jackets with inner insulation, etc. Thanks to the delicate temperature and the delicate movement of the drum, it treats the garments better to protect the external fabrics.



Program for delicately treating garments in synthetic or mixed fabrics, such as t-shirts and blouses.