

# DW8210X



<b>Product family</b>	Dishwashers
<b>Commercial height</b>	ADA Compliant
<b>Installation</b>	Under-Counter
<b>N° baskets</b>	3, Flexi
<b>Motor</b>	Inverter
<b>EAN code</b>	8017709354749



## Programs



<b>Number of programs</b>	5	<b>Normal</b>	Yes
<b>Washing temperatures</b>	45, 50, 65, 70 °F	<b>Rinse</b>	Yes
<b>Automatic</b>	Yes	<b>Pots &amp; Pans</b>	Yes
<b>Express 60°</b>	Si		

## Options



<b>Dry Assist+ option</b>	Yes	<b>Intensive washing zone option</b>
<b>Professional option</b>		

## Baskets



<b>Basket components finish</b>	Gray	<b>Lower basket</b>	Fixed racks
<b>Upper basket</b>	Central fixed racks	<b>Lower basket with anti-drip inserts</b>	Yes
<b>Upper basket height adjustment</b>	On 3 levels	<b>Colour Inner Components</b>	Sage Leaf
<b>Largest loadable dish in upper basket</b>	25,0 inches	<b>Cutlery basket</b>	Yes

## Technical Features




<b>Width</b>	23 9/16 "
<b>Depth</b>	22 7/16 "
<b>Height</b>	32 3/16 "
<b>Program symbols</b>	Writings in English
<b>On/off indicator</b>	Yes
<b>Rinse aid indicator</b>	Light
<b>End-of-cycle indicator</b>	Light on display, with acoustic signal
<b>Auto switch-off</b>	Yes
<b>Washing system</b>	Orbital
<b>Third spray arm</b>	Single
<b>Turbidity sensor</b>	Yes
<b>Aquatest</b>	
<b>Flood protection system</b>	Single Aquastop
<b>Max water hardness</b>	100°fH;58°dH

<b>Drying system</b>	Natural condenser drying, with Dry Assist + automatic door opening system at the end of the cycle
<b>Tube material</b>	Stainless steel
<b>Filter</b>	Stainless steel
<b>Concealed heating element</b>	Yes
<b>Hinges</b>	Self-balancing with variable hinges
<b>Min. and max plinth height</b>	3.9" - 6.6"
<b>Adjustable feet</b>	2 3/4", from 32 1/4" to 35"
<b>Noise Level</b>	46 dBA
<b>Additional gaskets</b>	Yes
<b>Back cover</b>	Yes
<b>Depth of dishwasher with open door (mm)</b>	1146 mm
<b>Top cover</b>	Metal sheet
<b>Energy Star</b>	Yes

## Electrical Connection

<b>Connected power</b>	1100 W	<b>Connection type</b>	Single-phase
<b>Current</b>	10 A	<b>Power Cord Length</b>	140 "
<b>Voltage</b>	115 V	<b>Plug</b>	(B) NEMA 5-15P
<b>Frequency</b>	60 Hz		



---

## Compatible Accessories

---

### KITJBDW



### KITPL60N



Toekick Kit in Black colour with adjustable height and deepness. Can be installed over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.

### KITPLV2



Kit extension for dishwasher and washing machine: lenght mt. 2

### KITPL60B















Toekick Kit in White colour with adjustable height and deepness. Can be installed over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.

### KITPL60X



Toekick Kit in Stainless Steel with adjustable height and deepness. Can be fitted over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.

## Symbols glossary

	<p>Acquastop: Some Smeg dishwashers are equipped with a simple Acquastop: float sensor in the bottom which is necessary to prevent an accidental leakage of water inside the appliance.</p>		<p>Aquatest measures the clarity of the water during an auto program, and automatically ensures the minimum consumption of water and energy.</p>
	<p>Anti-drip: Some models of dishwashers are equipped with special polymer nozzles anti-drip, that improve the process of drying.</p>		<p>The Dry Assist + option, in addition to saving energy, ensures perfect drying of the dishes by opening the door automatically at the end of the wash cycle.</p>
	<p>Inverter technology: The evolution of Smeg's driers towards more intelligent and environmentally sustainable models has led to the choice of using Inverter technology with heat pumps, which reduces significantly energy consumption.</p>		<p>Noise Level: Excellent insulation and special devices keep noise to a minimum.</p>
	<p>Orbital wash system distributes water evenly throughout the 60cm dishwasher cavity, directing water with precision to ensure an excellent wash.</p>		<p>Auto 45°- 65°: The auto programme regulates the length of a cycle depending on the need for a pre-wash and the number of rinses required.</p>
	<p>PRG_RINSE_72dpi</p>		<p>The symbols show the number of plate settings of the dishwasher.</p>
	<p>System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.</p>		<p>...</p>