DW8601X

Product family	Dishwashers
Commercial height	86 cm
Installation	Under-Counter
Kitchen panel	Not supplied
N° baskets	2
Engine	Inverter
EAN code	8017709363451
UPC Code	812895027747

Programs

Number of programs	8	**Super**	Yes
Washing temperatures	45, 50, 55, 65 °F	**Regular**	Yes
Light soiling	Yes	**Intensive 150°F**	Yes
Delicates	Yes	**Intensive 160°F**	
Auto	Yes	**Rinse**	Yes

Options

Hi-Temp	Yes	**Delay start**	Up to 24 hours
Extra Fast	Yes	**Extra-dry option**	Yes
Sanitize	Yes	**FlexiZone half-load option**	Yes
Silent	Yes	**Hyclean sanitizing option**	Yes

Baskets

Basket color	Gray	**Upper basket height adjustment**	On two levels (5cm)
Basket components finish	Gray	**Lower basket**	With 4 foldable racks
Handle	In plastic on upper and lower basket	**Colour Inner Components**	Gray
Upper basket	With 2 foldable racks	**Cutlery basket**	Yes

Technical Features

Width	23 9/16 "
Depth	22 7/16 "
Display type	LED display (3 digits)
Height	33 7/8 "
Controls	Electronic
Display	Delay start, Program progress indicator
Program symbols	Writings in English
On/off indicator	Yes
Rinse aid indicator	Light
End-of-cycle indicator	On display, with acoustic signal
Washing system	Standard
Turbidity sensor Aquatest	Yes
Flood protection system	Single Aquastop
Drying system	Natural condensation drying
Tub material	Stainless steel
Filter	Stainless steel
Concealed heating element	Yes
Can be installed in-column	Yes
Adjustable feet	2", from 32 1/4" to 34 1/4"
Airborne acoustical noise emissions dBA	45 dBA
Back feet adjustable from front	Yes

Electrical Connection

Connected power	1400 W
Current	12 A
Voltage	120 V
Frequency (Hz)	60 Hz
Connection type	Single-phase
Power supply cable length	116 "
Plug	(B) NEMA 5-15P



Symbols glossary

Acquastop: Some Smeg dishwashers are equipped with a simple Acquastop: float sensor in the bottom which is necesary to prevent an accidental leakage of water inside the appliance.

Aquatest measures the clarity of the water during an auto program, and automatically ensures the minimum consumption of water and energy.

Installation in column: Installation in column

COMM_HEIGHT_86_72dpi

Delay Timer: The delay timer can postpone the start of the program by up to 24 hours.

FlexiZone: The ½ load flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed.

Hyclean: When the HYCLEAN option is selected, the dishwasher performs a final 10 minute rinse at a high temperature of 70°C, eliminating virtually all bacteria to achieve the highest possible standards of cleanliness. The Hyclean option can be selected with almost all cycles at temperatures above 50°C.

Inverter technology: The evolution of Smeg's driers towards more intelligent and environmentally sustainable models has led to the choice of using Inverter technology with heat pumps, which reduces significantly energy consumption.

Noise Level: Excellent insulation and special devices keep noise to a minimum.

Delicate: Delicate washing program is designed for delicate dishes which are not heavily soiled.

Delicate: Delicate washing program is designed for delicate dishes which are not heavily soiled.

PRG_RINSE_72dpi

PRG_STRONG_72dpi

The symbols show the number of plate settings of the dishwasher.

EXTRA DRY This option adds a hot rinse cycle that ensures improved drying.

The Regular programme is for dishes with regular dirt, even with dried-on residues.

LIGHT SOILING Washing programme with low water and energy consumption.