

# DW8610





Product family Dishwashers
Commercial height 86 cm

**Installation** Fully-integrated built-in

N° baskets 3, Flexi Engine Inverter

EAN code 8017709354794



## **Programs**











Number of programs 10 Normal Yes Washing temperatures 30, 40, 50, 65, 75 °F Rinse Yes **Automatic** Eco express Yes Express 60' Intense Yes Yes Pots & Pans Self Clean Yes Yes **Delicates** Yes

## **Options**









Dry Assist+ option Delay start

FlexiZone half-load

option

Yes

Up to 24 hours

On 3 levels

Yes

Intensive washing zone option

Special programs option Yes

### **Baskets**



Basket color Gray
Upper basket Central fixed racks

Upper basket height

adjustment

Largest loadable dish in 19,0 inches

upper basket

Lower basket Fixed racks

cks Lower basket with anti- Yes

drip inserts

Colour Inner Sage Leaf

Components

Cutlery basket Yes

SMEG SPA 12/3/2025



### **Technical Features**







Width 23 9/16 " Depth 21 5/8 "

Display type LED display (3 digits)

Height 33 3/4 "

Display Delay start, Program

progress indicator

Program symbols Writings in English

On/off indicator Rinse aid indicator Light

**End-of-cycle indicator** Acoustic signal

Washing system Orbital Third spray arm Single **Turbidity** sensor Yes

Aquatest

Frequency (Hz)

Flood protection system Single Aquastop

Max water hardness 100°fH;58°dH

Drying system Natural condenser drying,

with Dry Assist + automatic door opening system at the

end of the cycle

**Tub** material Stainless steel Filter Stainless steel

Hinges Self-balancing, Sliding,

**FLEXIFIT** 

4.4 - 24.3 lbs

50 - 215 mm

Min. and max. frontal

panel weight

Min. and max plinth

height

Adjustable feet 2 3/4", from 33 7/8" to 36

> 5/8" Yes

Yes

1186 mm

Additional gaskets

Back cover


Depth of dishwasher

with open door (mm)

Top cover Metal sheet

**Electrical Connection** 

Connected power 1100 W Connection type Single-phase Current 13 A Power supply cable 140 " length 115 V Voltage Plug (B) NEMA 5-15P



60 Hz

**SMEG SPA** 12/3/2025



## **Compatible Accessories**



#### KIT86SPRAN



#### KIT86SPRMW



#### KIT86SPRX




#### KITFLEXI







#### KITPL60B





#### KITPL60N



#### KITPL60X



Toekick Kit in Black colour with adjustable height and deepness. Can be installed over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.



#### 10

Toekick Kit in Stainless Steel with adjustable height and deepness. Can be fitted over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.





Kit extension for dishwasher and washing machine: lenght mt. 2

SMEG SPA 12/3/2025



## Symbols glossary



Acquastop: Some Smeg dishwashers are equipped with a simple Acquastop: float sensor in the bottom which is necesary to prevent an accidental leakage of water inside the appliance.



Aguatest measures the clarity of the water during an auto program, and automatically ensures the minimum consumption of water and energy.



Anti-drip: Some models of dishwashers are equipped with special polymer nozzles anti-drip, that improve the process of drying.



COMM\_HEIGHT\_86\_72dpi



Delay Timer: The delay timer can postpone the start of the program by up to 24 hours.



Models with new Flexi Fit hinges are able to be installed in kitchens with a plinth of just 5cms. With this new hinge design, the panel has a sliding movement from the bottom to the top, avoiding any possible interference of the panel with the plinth.



FlexiZone: The ½ load flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed.



Inverter technology: The evolution of Smeg's driers towards more intelligent and environmentally sustainable models has led to the choice of using Inverter technology with heat pumps, which reduces significantly energy consumption.



Noise Level: Excellent insulation and special devices keep noise to a minimum.



Orbital wash system distributes water evenly throughout the 60cm dishwasher cavity, directing water with precision to ensure an excellent wash.



Auto 45°- 65°: The auto programme regulates the length of a cycle depending on the need for a pre-wash and the number of rinses required.



Delicate: Delicate washing program is designed for delicate dishes which are not heavily soiled.



PRG\_RINSE\_72dpi



Ultraclean: The Ultraclean option performs a final rinse at a high temperature of 70°c eliminating virtually all bacteria.



The symbols show the number of plate settings of the dishwasher.



System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.







The Dry Assist + option, in addition to saving energy, ensures perfect drying of the dishes by opening the door automatically at the end of the wash c

**SMEG SPA** 12/3/2025