

DWA6214S4

Product Family Dishwashers 60 cm Commercial width Commercial height 85 cm Installation Free-standing

N° baskets

Motor Single phase EAN code 8017709341732



Programs











N. of programmes

Washing temperatures

Crystal Full express - 60

minutes

5

45, 50, 55, 65, 70, 75 °C

2

Yes

Yes

Mix

Yes Hygiene 99,9% Yes Normal ECO Yes

Options





Dry Assist+ option

Delay timer option

Baskets

Basket colour Grey **Basket components** Grey

colour

In plastic on upper and Handle

lower basket With central fixed racks **Upper Basket** Height adjustment of On three levels

the upper basket

Largest loadable dish in 25,0 cm upper basket

Lower Basket

Lower basket with anti- Yes, as an accessory drip inserts

Largest loadable dish in 30,0 cm lower basket

Colour Inner Components Grey handles, Grey pastic plate for regulation second

With 2 foldable racks

basket on three levels, Grey Orbital

3-6-9 hours

Cutlery basket 13 place settings sliding

Technical Features

SMEG SPA 17/11/2025









Width (mm) Depth (mm) Product Height (mm) Controls Programme graphics On/off indicator Yes

Rinse aid indicator Light End of cycle indicator

Orbital Washing system

Third spray arm Flood protection system

Water supply

598 mm 600 mm 848 mm Electronic Symbols

Led on display, with acoustic signal

Single **Total Acquastop**

Single; cold/hot water max. 60°C - energysave with hot

water up to 35%

Max water hardness Drying system

Child safety system (door lock)

Tub material Filter

Concealed heating

element Hinges

Adjustable feet Back cover

Depth of dishwasher with open door (mm)

Removable top

100°fH:58°dH

Natural condenser drying, with Dry Assist + automatic door opening system at the

end of the cycle Yes

Stainless steel Stainless steel

Yes

Self balancing with fixed

hinges

Just for levelling Yes, with covered counterweight 1168 mm

Yes, with optional KIT

Electrical Connection


Connected power 1800 W 10 A Current Voltage 220-240 V Frequency (Hz) 50 Hz

Type of connection Power supply cable length

Plug

Single-phase 140 cm

(I) Australia



SMEG SPA 17/11/2025



Compatible Accessories

KITGH



Kit glass holder. It has to be fitted on the first basket but only if there are foldable racks

minimum

KITINC

a steel bar fitted on the top will block the dishwasher at the top.

KITPLV2



Kit extension for dishwasher and washing machine: lenght mt. 2

SMEG SPA 17/11/2025



Symbols glossary



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Delay Timer: The delay timer can postpone the start of the program by up to 24 hours.



Noise Level: Excellent insulation and special devices keep noise to a minimum.



Orbital wash system distributes water evenly throughout the 60cm dishwasher cavity, directing water with precision to ensure an excellent wash.



Crystals: The Crystals programme is dedicated to delicate dishes such as glasses and china.



Normal programme: The normal programme is suitable for normal degrees of dirt for everyday use



REF_PRG_NORMAL_ECO_72dpi



The symbols show the number of plate settings of the dishwasher.



Total Acquastop: In addition to the partial Acquastop protection present in all Smeg dishwashers, some models have an electronic device fitted to the water intake hose, which monitors water levels in the machine, detects leaks in the hose and switches off the water supply immediately when necessary.



System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.



...



The Dry Assist + option, in addition to saving energy, ensures perfect drying of the dishes by opening the door automatically at the end of the wash c



HYGIENE 99.9% High-temperature washing programme. The 75° rinse guarantees the removal of 99.9% of germs and bacteria, making it ideal for sanitising

SMEG SPA 17/11/2025