

DWA6214W2

Product Family Dishwashers 60 cm Commercial width Commercial height 85 cm

Installation Free-standing

N° baskets 2

EAN code 8017709278823



13 place settings sliding

Programs







N. of programmes 5 Ultraclean Yes Washing temperatures 45, 55, 65, 70 °C Intensive 65° Yes Soak Yes Normal ECO Yes

ECO Yes

Options





3-6-9 hours Options for tabs **Delay timer option** Yes FlexiTabs

Baskets

upper basket



With 2 foldable racks **Basket colour** Grey Lower Basket

Lower basket with anti- Yes **Basket components** Grey

colour drip inserts

Handle In plastic on upper and Largest loadable dish in 30,0 cm

lower basket lower basket

With central fixed racks **Upper Basket** Colour Inner Grey handles, Grey pastic Components plate for regulation second Height adjustment of On three levels

basket on three levels, the upper basket Green Orbital

Largest loadable dish in 25,0 cm

SMEG SPA 27/11/2025

Cutlery basket



Technical Features





Rinse aid indicator

Width (mm) 598 mm Depth (mm) 600 mm Product Height (mm) 848 mm Controls Electronic Programme graphics Symbols On/off indicator Yes

Led on display, with End of cycle indicator acoustic signal

Light

Washing system Orbital Third spray arm Single

Flood protection system Total Acquastop

Water supply Single; cold/hot water max.

60°C - energysave with hot water up to 35%

Max water hardness 100°fH;58°dH

Drying system Natural condenser drying

Tub material Stainless steel Filter Stainless steel Yes

Concealed heating

element Hinges

Self balancing with fixed

hinges

Adjustable feet Just for levelling Back cover Yes, with covered counterweight 1168 mm

Depth of dishwasher with open door (mm)


Removable top Yes, with optional KIT

Electrical Connection

1800 W Connected power Current 10 A length Voltage 220-240 V Plug Frequency (Hz) 50 Hz

Type of connection Single-phase Power supply cable 140 cm

(I) Australia



SMEG SPA 27/11/2025



Compatible Accessories

KITGH



Kit glass holder. It has to be fitted on the first basket but only if there are foldable racks



KITINC

a steel bar fitted on the top will block the dishwasher at the top.

KITPLV2



Kit extension for dishwasher and washing machine: lenght mt. 2

SMEG SPA 27/11/2025



Symbols glossary



Anti-drip: Some models of dishwashers are equipped with special polymer nozzles anti-drip, that improve the process of drying.



Delay Timer: The delay timer can postpone the start of the program by up to 24 hours.



Flexitabs: Flexitabs adjusts the wash cycle to give the best possible results regardless of the type of detergent used.



Noise Level: Excellent insulation and special devices keep noise to a minimum.



Orbital wash system distributes water evenly throughout the 60cm dishwasher cavity, directing water with precision to ensure an excellent wash.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Soak programme: The soak programme provides a rinse to prevent dirt from drying.



REF_PRG_NORMAL_ECO_72dpi



The symbols show the number of plate settings of the dishwasher.



Total Acquastop: In addition to the partial Acquastop protection present in all Smeg dishwashers, some models have an electronic device fitted to the water intake hose, which monitors water levels in the machine, detects leaks in the hose and switches off the water supply immediately when necessary.



System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.

SMEG SPA 27/11/2025