DWA6224X4

Product Family	Dishwashers
Commercial width	60 cm
Commercial height	85 cm
Installation	Free-standing
N° baskets	2
Motor	Single phase
EAN code	8017709344276



Programs

	27min	45°	60 min	55°	65°	75°	50°	70°	50°

N. of programmes	10	**Light soiling**	Yes
Washing temperatures	38, 45, 50, 65, 70, 75 °C	**Mix**	Yes
Soak	Yes	**Hygiene 99,9%**	Yes
Express 27'	Yes	**Delicate**	Yes
Crystal	Yes	**Intensive 70°**	Yes
Full express - 60 minutes	Yes	**Normal ECO**	Yes

Options

DRY+		½	S	

Dry Assist+ option	Yes	**Quick Time option**	
Delay timer option	3-6-9-12 hours	**Special programs option**	Yes
1/2 load FlexiZone option	Yes		

Baskets

Basket colour	Grey	**Lower Basket**	With 4 foldable racks
Basket components colour	Grey	**Lower basket with anti-drip inserts**	Yes
Handle	In plastic on upper and lower basket	**Largest loadable dish in lower basket**	30,0 cm

Upper Basket	With central fixed racks	**Colour Inner Components**	Blue
Height adjustment of the upper basket	On three levels	**Cutlery basket**	13 place settings sliding
Largest loadable dish in upper basket	19,0 cm		

Technical Features




Width (mm)	598 mm	**Flood protection system**	Total Acquastop
Depth (mm)	600 mm	**Water supply**	Single; cold/hot water max. 60°C - energysave with hot water up to 35%
Product Height (mm)	848 mm	**Max water hardness**	100°fH;58°dH
Controls	Electronic	**Drying system**	Natural condenser drying, with Dry Assist + automatic door opening system at the end of the cycle
Display	Delayed start	**Child safety system (door lock)**	Yes
Programme graphics	Symbols	**Tub material**	Stainless steel
On/off indicator	Yes	**Filter**	Stainless steel
Rinse aid indicator	Light	**Concealed heating element**	Yes
Progress indicator	Yes	**Hinges**	Self balancing with fixed hinges
End of cycle indicator	On display, with acoustic signal	**Adjustable feet**	Just for levelling
Auto switch-off	Yes	**Back cover**	Yes, with covered counterweight
Washing system	Orbital	**Depth of dishwasher with open door (mm)**	1168 mm
Third spray arm	Single	**Removable top**	Yes, with optional KIT

Electrical Connection

Connected power	1800 W	**Type of connection**	Single-phase
Current	10 A	**Power supply cable length**	140 cm
Voltage	220-240 V	**Plug**	(I) Australia
Frequency (Hz)	50 Hz		

Compatible Accessories




KITGH

Kit glass holder. It has to be fitted on the first basket but only if there are foldable racks



KITPLV2

Kit extension for dishwasher and washing machine: lenght mt. 2



KITINC

a steel bar fitted on the top will block the dishwasher at the top.

Symbols glossary



Anti-drip: Some models of dishwashers are equipped with special polymer nozzles anti-drip, that improve the process of drying.



Delay Timer: The delay timer can postpone the start of the program by up to 24 hours.



FlexiZone: The ½ load flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed.



Orbital wash system distributes water evenly throughout the 60cm dishwasher cavity, directing water with precision to ensure an excellent wash.



Delicate: Delicate washing program is designed for delicate dishes which are not heavily soiled.



Soak programme: The soak programme provides a rinse to prevent dirt from drying.



Ultraclean: The Ultraclean option performs a final rinse at a high temperature of 70°c eliminating virtually all bacteria.



The symbols show the number of plate settings of the dishwasher.



System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.



Allows you to enable additional programs when selected together with any wash cycle.



HYGIENE 99.9% High-temperature washing programme. The 75° rinse guarantees the removal of 99.9% of germs and bacteria, making it ideal for sanitising



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.



Noise Level: Excellent insulation and special devices keep noise to a minimum.



Crystals: The Crystals programme is dedicated to delicate dishes such as glasses and china.



Normal programme: The normal programme is suitable for normal degrees of dirt for everyday use.



Rapid 27 Mins: The rapid 27 mins quick program takes just 27 minutes to wash a load.



REF_PRG_NORMAL_ECO_72dpi



Total Acquastop: In addition to the partial Acquastop protection present in all Smeg dishwashers, some models have an electronic device fitted to the water intake hose, which monitors water levels in the machine, detects leaks in the hose and switches off the water supply immediately when necessary.



Quick wash cycle for normally soiled mixed loads such as dishes and pans, even with dried-on residues. Dishes are washed and dried in 60 minutes.



The Dry Assist + option, in addition to saving energy, ensures perfect drying of the dishes by opening the door automatically at the end of the wash c



LIGHT SOILING Washing programme with low water and energy consumption.