

DWA6314X2

Product Family Dishwashers 60 cm Commercial width Commercial height 85 cm Installation Free-standing

N° baskets 3, Flexi

EAN code 8017709278847



Programs















N. of programmes 5+5 quick programmes **ECO Quick** Yes Washing temperatures 38, 45, 50, 65, 70 °C **Delicate and Quick** Yes Soak **Daily Quick** Yes Rapid 27' Yes Strong and fast Yes **ECO** Intensive 65° Yes Yes **Normal ECO** Ultraclean Yes Yes

Options







Delay timer option 1/2 load FlexiZone option

3-6-9-12 hours

Yes

Options for tabs FlexiTabs

Quick Time option

Yes

Yes

Baskets



With 4 foldable racks Lower Basket **Basket colour** Grey

Basket components Lower basket with anti- Yes Grey colour

drip inserts

Handle In plastic with stainless Largest loadable dish in 30,0 cm

steel insert on upper and lower basket lower basket

With central fixed racks Colour Inner Blue **Upper Basket** Components

SMEG SPA 28/11/2025



Height adjustment of

On three levels

13 place settings sliding

the upper basket

Largest loadable dish in 19,0 cm

upper basket

Technical Features







Width (mm) 598 mm 600 mm Depth (mm) Product Height (mm) 848 mm Controls Electronic Delayed start Display Programme graphics Symbols

On/off indicator Yes Rinse aid indicator Light **Progress indicator** Yes

On display, with acoustic End of cycle indicator

signal Orbital Single

Washing system

Third spray arm

Flood protection system Total Acquastop

Water supply

Cutlery basket

water up to 35%

Max water hardness 100°fH;58°dH

Drying system Child safety system

(door lock) **Tub** material

Concealed heating

element

Filter

Hinges

Adjustable feet Back cover

Depth of dishwasher with open door (mm)

Removable top

Single; cold/hot water max.

60°C - energysave with hot

Natural condenser drying

Stainless steel Stainless steel

Yes

Self balancing with fixed

hinges

Just for levelling Yes, with covered counterweight

1168 mm

Yes, with optional KIT

Electrical Connection

Connected power 1800 W Current 10 A 220-240 V Voltage Frequency (Hz) 50 Hz

Type of connection Power supply cable length

Plug

Single-phase 140 cm

(I) Australia

SMEG SPA 28/11/2025



Compatible Accessories

KITGH



Kit glass holder. It has to be fitted on the first basket but only if there are foldable racks

mannana .

KITINC

a steel bar fitted on the top will block the dishwasher at the top.

KITPLV2



Kit extension for dishwasher and washing machine: lenght mt. 2

SMEG SPA 28/11/2025



Symbols glossary



Anti-drip: Some models of dishwashers are equipped with special polymer nozzles anti-drip, that improve the process of drying.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Delay Timer: The delay timer can postpone the start of the program by up to 24 hours.



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.



Flexitabs: Flexitabs adjusts the wash cycle to give the best possible results regardless of the type of detergent used.



FlexiZone: The ½ load flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed.



Noise Level: Excellent insulation and special devices keep noise to a minimum.



Orbital wash system distributes water evenly throughout the 60cm dishwasher cavity, directing water with precision to ensure an excellent wash.



Daily Quick: The daily program is suitable for quick daily washing of dishes.



Delicate Quick: Program Delicate Quick is suitable for quick washing of delicate dishes.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Soak programme: The soak programme provides a rinse to prevent dirt from drying.



Strong&Fast: This special programme takes less than 1 hour to eliminate the most stubborn dirt and dried on residues.



REF_PRG_NORMAL_ECO_72dpi



The symbols show the number of plate settings of the dishwasher.



Total Acquastop: In addition to the partial Acquastop protection present in all Smeg dishwashers, some models have an electronic device fitted to the water intake hose, which monitors water levels in the machine, detects leaks in the hose and switches off the water supply immediately when necessary.



System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.

SMEG SPA 28/11/2025