

DWI245SA



Product Family	Dishwashers
Commercial width	45 cm
Commercial height	82 cm
Installation	Fully-integrated built-in
Kitchen panel	Not supplied
N° baskets	2
Motor	Single phase
EAN code	8017709344160



Programs



N. of programmes	8	ECO	Yes
Washing temperatures	30, 40, 50, 60, 65, 70 °C		

Options



Delay timer option	Up to 19 hours	1/2 load FlexiZone option	Yes
Extra dry option	Yes		

Baskets

Basket colour	Grey	Height adjustment of the upper basket	On two levels (5cm)
Basket components colour	Grey	Lower Basket	With 2 foldable racks
Handle	In plastic on upper and lower basket	Colour Inner Components	Blue, Grey
Upper Basket	With 2 foldable racks	Cutlery basket	Yes

Technical Features



Width (mm)	448 mm	End of cycle indicator	On display, with acoustic signal
Depth (mm)	550 mm	Washing system	Standard

Display type	LED display (3 digit)	Water softener	With electronic setting
Product Height (mm)	820 mm	Flood protection system	Single Acquastop
Controls	Electronic	Internal light	With White led
Display	Delayed start, Programme time indicator	Tube material	Stainless steel
		Filter	Stainless steel
Programme graphics	Symbols	Concealed heating element	Yes
On/off indicator	Yes	Adjustable feet	5cm, from 820 to 870 mm
Salt light indicator	Light	Back feet adjustable from front	Yes
Rinse aid indicator	Light		

Electrical Connection

Connected power	1900 W	Type of connection	Single-phase
Current	10 A	Power supply cable length	165 cm
Voltage	220-240 V	Plug	(M) Sud Africa
Frequency (Hz)	50 Hz		

Compatible Accessories



KITPL60B

Toekick Kit in White colour with adjustable height and deepness. Can be installed over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.



KITPL60X

Toekick Kit in Stainless Steel with adjustable height and deepness. Can be fitted over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.



KITPL60N

Toekick Kit in Black colour with adjustable height and deepness. Can be installed over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.



KITPLV2

Kit extension for dishwasher and washing machine: lenght mt. 2

Symbols glossary

- | | |
|--|---|
|  <p>Acquastop: Some Smeg dishwashers are equipped with a simple Acquastop: float sensor in the bottom which is necessary to prevent an accidental leakage of water inside the appliance.</p> |  <p>82 cm high</p> |
|  <p>FlexiZone: The ½ load flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed.</p> |  <p>EXTRA DRY This option adds a hot rinse cycle that ensures improved drying.</p> |
|  <p>Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.</p> | |