

# DWI245SA



Product Family	Dishwashers
Commercial width	45 cm
Commercial height	82 cm
Installation	Fully-integrated built-in
Kitchen panel	Not supplied
N° baskets	2
Motor	Single phase
EAN code	8017709344160




## Programs



N. of programmes	8	ECO	Yes
Washing temperatures	30, 40, 50, 60, 65, 70 °C		

## Options



Delay timer option	Up to 19 hours	1/2 load FlexiZone option	Yes
Extra dry option	Yes		

## Baskets

Basket colour	Grey	Height adjustment of the upper basket	On two levels (5cm)
Basket components colour	Grey	Lower Basket	With 2 foldable racks
Handle	In plastic on upper and lower basket	Colour Inner Components	Blue, Grey
Upper Basket	With 2 foldable racks	Cutlery basket	Yes

## Technical Features



Width (mm)	448 mm	End of cycle indicator	On display, with acoustic signal
Depth (mm)	550 mm	Washing system	Standard

---

<b>Display type</b>	LED display (3 digit)	<b>Water softener</b>	With electronic setting
<b>Product Height (mm)</b>	820 mm	<b>Flood protection system</b>	Single Acquastop
<b>Controls</b>	Electronic	<b>Internal light</b>	With White led
<b>Display</b>	Delayed start, Programme time indicator	<b>Tube material</b>	Stainless steel
		<b>Filter</b>	Stainless steel
<b>Programme graphics</b>	Symbols	<b>Concealed heating element</b>	Yes
<b>On/off indicator</b>	Yes	<b>Adjustable feet</b>	5cm, from 820 to 870 mm
<b>Salt light indicator</b>	Light	<b>Back feet adjustable from front</b>	Yes
<b>Rinse aid indicator</b>	Light		

## Electrical Connection

---

<b>Connected power</b>	1900 W	<b>Type of connection</b>	Single-phase
<b>Current</b>	10 A	<b>Power supply cable length</b>	165 cm
<b>Voltage</b>	220-240 V	<b>Plug</b>	(M) Sud Africa
<b>Frequency (Hz)</b>	50 Hz		

---


## Compatible Accessories

---



### KITPL60B

Toekick Kit in White colour with adjustable height and deepness. Can be installed over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.



### KITPL60X

Toekick Kit in Stainless Steel with adjustable height and deepness. Can be fitted over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.



### KITPL60N

Toekick Kit in Black colour with adjustable height and deepness. Can be installed over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.








### KITPLV2

Kit extension for dishwasher and washing machine: lenght mt. 2

---

## Symbols glossary

---

- |  |  |   |   |
|--|--|---|---|
|  | Acquastop: Some Smeg dishwashers are equipped with a simple Acquastop: float sensor in the bottom which is necessary to prevent an accidental leakage of water inside the appliance. |  | 82 cm high  |
|  | FlexiZone: The ½ load flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed.                         |  | Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option. |
|  | EXTRA DRY This option adds a hot rinse cycle that ensures improved drying.   |   |   |