DWI245SA



Product Family	Dishwashers
Commercial width	45 cm
Commercial height	82 cm
Installation	Fully-integrated built-in
Kitchen panel	Not supplied
N° baskets	2
Motor	Single phase
EAN code	8017709344160

Programs

N. of programmes	8	**ECO**	Yes
Washing temperatures	30, 40, 50, 60, 65, 70 °C		

Options

Delay timer option	Up to 19 hours	**1/2 load FlexiZone option**	Yes
Extra dry option	Yes		

Baskets

Basket colour	Grey	**Height adjustment of the upper basket**	On two levels (5cm)
Basket components colour	Grey	**Lower Basket**	With 2 foldable racks
Handle	In plastic on upper and lower basket	**Colour Inner Components**	Blue, Grey
Upper Basket	With 2 foldable racks	**Cutlery basket**	Yes

Technical Features

Width (mm)	448 mm	**End of cycle indicator**	On display, with acoustic signal
Depth (mm)	550 mm	**Washing system**	Standard

Display type	LED display (3 digit)	**Water softener**	With electronic setting
Product Height (mm)	820 mm	**Flood protection system**	Single Acquastop
Controls	Electronic	**Internal light**	With White led
Display	Delayed start, Programme time indicator	**Tub material**	Stainless steel
		Filter	Stainless steel
Programme graphics	Symbols	**Concealed heating element**	Yes
On/off indicator	Yes		
Salt light indicator	Light	**Adjustable feet**	5cm, from 820 to 870 mm
Rinse aid indicator	Light	**Back feet adjustable from front**	Yes

Electrical Connection

Connected power	1900 W	**Type of connection**	Single-phase
Current	10 A	**Power supply cable length**	165 cm
Voltage	220-240 V		
Frequency (Hz)	50 Hz	**Plug**	(M) Sud Africa

Compatible Accessories



KITPL60B

Toekick Kit in White colour with adjustable height and deepness. Can be installed over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.



KITPL60X

Toekick Kit in Stainless Steel with adjustable height and deepness. Can be fitted over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.



KITPL60N

Toekick Kit in Black colour with adjustable height and deepness. Can be installed over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.



KITPLV2

Kit extension for dishwasher and washing machine: lenght mt. 2

Symbols glossary



Acquastop: Some Smeg dishwashers are equipped with a simple Acquastop: float sensor in the bottom which is necesary to prevent an accidental leakage of water inside the appliance.



FlexiZone: The ½ load flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed.



EXTRA DRY This option adds a hot rinse cycle that ensures improved drying.



82 cm high



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.