

EGF03BLMUK

Category **Product Family**

Country version

EAN Code

Coffee

Espresso Coffee Machine

Manual Coffee Machine with grinder

8017709354602



Aesthetics

Aesthetics

Colour **Finishing**

Body Material

Base Material

Cup Warmer Material

Button Material

Boiler Material

Filter centering support Plastic

material

Filterholder Material

Filterholder Handle

Colour

Filterholder Handle

Material

50's Style Black

Matte

Die-cast aluminum

Plastic

Stainless steel

Plastic

Stainless steel

Stainless steel

Black

Plastic

6

Coffee bean container

material

Burr material

Coffee bean container

material

Coffee bean container

lid material

Cup Tray Material Steam nozzle material

Drip Tray Material

Jug material

Tamper Material

Logo Type

Power Cable Colour

SAN

Stainless steel

SAN

SAN and TPE

Stainless steel Stainless steel

Die-cast aluminum Stainless steel

Stainless steel Applied Black

Controls

N° buttons

Control Settings

Grinding setting

Buttons, Lever

Steam activation ON/OFF button

Steam Lever

2

Technical Features

Heating System

Double thermoblock

Type of burrs Cup Warmer

Conical **Passive**

SMEG SPA 08/11/2025



Coffee Circuit Pump 20 bar Professional steam Yes **Pressure** wand Coffee Beans Container 250 g Pump Pressure 15 bar Capacity Filter holder Diameter 58 mm Bean hopper with Twist Yes & lock system **Extraction pressure** Yes manometer Removable bean hopper Yes Removable Water Yes Removable upper burr Yes Container **Antislip Base** Yes **Drip Tray** Yes **Water Container** 2.4 I Capacity

Program / Functions

Start timing90 secSingle Coffee FunctionYesDouble Coffee FunctionsYesOne cup grindingYesAdjustable coffee lengthYesDouble cup grindingYesCustomisable grinding quantityYes

Steam Intensity 2: one to warm milk, and the other to foam it

Empty water tank alarmYesDecalcification alarmYesAdjustable Stand-by FunctionYes

Stand-by setting 10 min / 30 min / 40 min / 60 min
Adjustable Coffee Temperature low/medium/optimal/high
Adjustable water hardness soft/medium/hard/very hard

Preinfusion profiles Short / Standard / Long / progressive
Grinding level settings Short / Standard / Long / progressive

Accessories Included

Double Wall 1 Cup Filter Yes Milk Jug Yes Single wall Cup Filter Yes Cleaning brushes Yes Double wall 2 Cups Water hardness test Yes Yes Filter strip Single wall 2 Cups Filter Yes Steam wand cleaning Yes needle **Tamper** Yes Silicon disc for group Yes cleaning

Electrical Connection

 Power
 1650 W
 Frequency Hz
 50 Hz

 Plug
 (F;E) Schuko
 Power Cord Length
 1 m

 Voltage (V)
 220-240 V

SMEG SPA 08/11/2025



Standby consumption

Power off activation 10 min Product off power 0.4 W

time

Logistic Information

Product Width 334 mm **Packed Product Depth** 442 mm **Product Depth Packed Product Height** 430 mm 499 mm **Product Height** 443 mm Packed product width 17.76 " (in) **Product Dimensions** HxWxD 443x334x430 mm Packed product depth 17.40 " Giftbox Width 426 mm (in) Giftbox Depth 420 mm Packed product height 19.65 " Giftbox Height 460 mm **Packed Product Width** 451 mm Net Weight (kg) 12.750 kg Gross Weight (kg) 17.200 kg

SMEG SPA 08/11/2025



Compatible Accessories



1ECWF01

Compatible with Manual Espresso Coffee Machine ECF01 and Full Automatic Espresso Machine BCC01/02/03



ECKB01

Knock Box



CMAK01

250 ml Descaling agent for coffee machines for domestic use.

ECTM01

Tamping Mat



ECWF02

Compatible with Manual Espresso Coffee Machines ECF01, ECF02, ECF03, EGF03, EMC02, and Automatic Coffee Machines BCC01, BCC02, BCC11, BCC12, BCC13.

SMEG SPA 08/11/2025