

# EGF03BLMUK

Category	Coffee
Product Family	Espresso Coffee Machine
Type	Manual Coffee Machine with grinder
Country version	EU
EAN Code	8017709354602



## Aesthetics

Aesthetics	50's Style	Coffee bean container material	SAN
Colour	Black	Burr material	Stainless steel
Finishing	Matte	Coffee bean container material	SAN
Body Material	Die-cast aluminum	Coffee bean container lid material	SAN and TPE
Base Material	Plastic	Cup Tray Material	Stainless steel
Cup Warmer Material	Stainless steel	Steam nozzle material	Stainless steel
Button Material	Plastic	Drip Tray Material	Die-cast aluminum
Boiler Material	Stainless steel	Jug material	Stainless steel
Filter centering support material	Plastic	Tamper Material	Stainless steel
Filterholder Material	Stainless steel	Logo Type	Applied
Filterholder Handle Colour	Black	Power Cable Colour	Black
Filterholder Handle Material	Plastic		

## Controls

Control Settings	Buttons, Lever	Steam activation	Steam Lever
Nº buttons	4	ON/OFF button	2
Grinding setting	6		

## Technical Features

Heating System	Double thermoblock	Type of burrs	Conical
		Cup Warmer	Passive

<b>Coffee Circuit Pump Pressure</b>	20 bar	<b>Professional steam wand</b>	Yes
<b>Pump Pressure</b>	15 bar	<b>Coffee Beans Container Capacity</b>	250 g
<b>Filter holder Diameter</b>	58 mm	<b>Bean hopper with Twist &amp; lock system</b>	Yes
<b>Extraction pressure manometer</b>	Yes	<b>Removable bean hopper</b>	Yes
<b>Removable Water Container</b>	Yes	<b>Removable upper burr</b>	Yes
<b>Drip Tray</b>	Yes	<b>Antislip Base</b>	Yes
<b>Water Container Capacity</b>	2,4 l		

## Program / Functions

<b>Start timing</b>	90 sec
<b>Single Coffee Function</b>	Yes
<b>Double Coffee Functions</b>	Yes
<b>One cup grinding</b>	Yes
<b>Adjustable coffee length</b>	Yes
<b>Double cup grinding</b>	Yes
<b>Customisable grinding quantity</b>	Yes
<b>Steam Intensity</b>	2: one to warm milk, and the other to foam it
<b>Empty water tank alarm</b>	Yes
<b>Decalcification alarm</b>	Yes
<b>Adjustable Stand-by Function</b>	Yes
<b>Stand-by setting</b>	10 min / 30 min / 40 min / 60 min
<b>Adjustable Coffee Temperature</b>	low/medium/optimal/high
<b>Adjustable water hardness</b>	soft/medium/hard/very hard
<b>Preinfusion profiles</b>	Short / Standard / Long / progressive
<b>Grinding level settings</b>	Short / Standard / Long / progressive

## Accessories Included

<b>Double Wall 1 Cup Filter</b>	Yes	<b>Milk Jug</b>	Yes
<b>Single wall Cup Filter</b>	Yes	<b>Cleaning brushes</b>	Yes
<b>Double wall 2 Cups Filter</b>	Yes	<b>Water hardness test strip</b>	Yes
<b>Single wall 2 Cups Filter</b>	Yes	<b>Steam wand cleaning needle</b>	Yes
<b>Tamper</b>	Yes	<b>Silicon disc for group cleaning</b>	Yes

## Electrical Connection

<b>Power</b>	1650 W	<b>Frequency Hz</b>	50 Hz
<b>Plug</b>	(F;E) Schuko	<b>Power Cord Length</b>	1 m
<b>Voltage (V)</b>	220-240 V		

## Standby consumption

---

<b>Power off activation time</b>	10 min	<b>Product off power</b>	0,4 W
----------------------------------	--------	--------------------------	-------

## Logistic Information

---

<b>Product Width</b>	334 mm	<b>Packed Product Depth</b>	442 mm
<b>Product Depth</b>	430 mm	<b>Packed Product Height</b>	499 mm
<b>Product Height</b>	443 mm	<b>Packed product width (in)</b>	17.76 "
<b>Product Dimensions</b>	HxWxD 443x334x430 mm	<b>Packed product depth (in)</b>	17.40 "
<b>Giftbox Width</b>	426 mm	<b>Packed product height (in)</b>	19.65 "
<b>Giftbox Depth</b>	420 mm	<b>Net Weight (kg)</b>	12,750 kg
<b>Giftbox Height</b>	460 mm	<b>Gross Weight (kg)</b>	17,200 kg
<b>Packed Product Width</b>	451 mm		

---

## Compatible Accessories

---



**CMAK01**

250 ml Descaling agent for coffee machines for domestic use.



**ECKB01**

Knock Box



**ECTM01**

Tamping Mat



**ECWF02**

Compatible with Manual Espresso Coffee Machines ECF01, ECF02, ECF03, EGF03, EMC02, and Automatic Coffee Machines BCC01, BCC02, BCC11, BCC12, BCC13.