

FA3905RX6



Product Family	Refrigerator
Installation	Free standing
Category	Bottom Mount
Reference width	60 - 70
Reference height	160 - 200
Cooling type	Total No Frost - Double Cooling system
Defrost	Automatic
Hinge type	Standard
Hinge position	Right
EAN code	8017709353544



Aesthetics

Aesthetic	Classica	Side material	Steel
Colour	Stainless steel	Side colour	Stainless steel
Design	Flat	Logo	Applied
Material	Metal sheet	Door shelves profile color	Silver
Handle	External	Drawers profile color	Silver
Handle type	Fixed	Color of glass shelf profile	Silver
Handle colour	Stainless steel	Display	7 segments
Logo colour	Chrome	Display position	Interno (cella frigo)

Refrigerator compartment features



Number of compartments	2	Crisper Cover	Yes
Compartment types	Fruit and vegetable compartment	Type of crisper/vegetable drawers cover	Glass
No. of adjustable shelves	3	No. of lights refrigerator compartment	2
Number of fruit and vegetables drawers	2	Internal light in fridge	Yes
Type of adjustable shelves	Glass	Type of internal light (fridge)	LED
Type of crisper/vegetable drawers cover	On sliding rails		

Refrigerator Inner Door

Number of adjustable door shelves	3	No. of bottle shelves	1
-----------------------------------	---	-----------------------	---

Other Refrigerator features

			
Humidity Control	Yes	Fan	Yes
MultiFlow	Yes		




Freezer compartment features

Number of drawers	2	No. of compartments with flap	1
No. of shelves	2	Type of shelves	Glass

Other Freezer features

			
Ice maker	Manual	Fast freezing compartment	Yes

Other technical features

			
Functions display	Fast freezing, ECO, Temperature alarm		
Fast freezing button	Yes		
Temperature alarm lamp	Yes		
Door open alarm	Acoustic and visual		
Temperature Alarm	Yes		
Type of temperature control	Electronic		
No. of compressors	1		
Refrigerant gas type	R600a		
Type of compressor	Inverter		
Refrigerant Quantity (gr)	45 g		
Foam agent	Cyclopentane		



Performance / Energy Label - Reg. 2019

			
Annual energy consumption	230 kWh/a	Airborne acoustical noise emissions	36 dB(A) re 1 pW
Energy efficiency class	D	Temperature Rise Time	14 h


Airborne acoustical noise emission class	C	4 star - Freezing capacity	8 kg/24h
Total net volume	481 l	Climate class	SN, N, ST, T
Sum of the volumes of the frozen compartment(s)	137 l	EER	80 %
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	344 l		

Electrical Connection

Plug	(F;E) Schuko	Voltage (V)	220-240 V
Electrical connection rating	127 W	Frequency (Hz)	50/60 Hz
Current	1.1 A	Power supply cable length	180 cm




Alternative products



FA8005RPO6











Hinge position: Right
Cream



FA8005RAO6

Hinge position: Right
Anthracite

Symbols glossary

	4 stars freezing compartment for better food preservation.		The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.
			Energy efficiency class D
	Economical mode: Analyzes fridge functioning during the activation and optimizes the operating cycle in order to reduce power consumption.		Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.
	Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.		LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.
	Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption.		Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet.

Benefit (TT)

No-Frost system

The No Frost system prevents the formation of ice and contributes to better preservation of food in the refrigerator

Plastic multiflow system

The Multiflow system ensures even distribution of cold air inside the refrigerator

Fan

The fan contributes to an even distribution of air inside the refrigerator

Refrigerant gas R600a

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

Climate class

Climatic class SN-T makes the appliance suitable for working at room temperature between 10 °C and 43 °C (50 °F ~ 109 °F)

External handle

The external handle ensures practicality and ease of use of the refrigerator

Refrigerator Internal lighting

Interior lighting for perfect visibility of shelves in the refrigerator compartment

Fruit and vegetable drawer

The fruit and vegetable drawer ensures the best storage conditions for fresh food, avoiding any contamination

Inverter compressor

Inverter compressor reduces noise and vibration levels for a quiet and comfortable kitchen environment

Inverter compressor technology offers significant advantages for refrigeration systems, improving both performance and efficiency. Better temperature control ensures a more stable and constant indoor environment, preserving the freshness of food. This technology also results in reduced energy consumption, as the compressor adjusts its speed according to cooling needs.

Manual Ice Maker

Fresh ice on demand: the manual ice maker embodies simplicity — water is added to the tray and, once frozen, delivers ice precisely when required

Internal display

Internal display for targeted temperature control and a clean, minimalist design