

FAB10HLCR5



| | |
|------------------|---------------|
| Product Family | Refrigerator |
| Installation | Free standing |
| Category | One Door |
| Reference width | Until 60 |
| Reference height | Until 100 |
| Cooling type | Static |
| Defrost | Automatic |
| Hinge type | Standard |
| Hinge position | Left |
| EAN code | 8017709298739 |



Aesthetics

| | | | |
|-----------|--------------|---------------|---------|
| Aesthetic | 50's Style | Handle type | Fixed |
| Colour | Cream | Handle colour | Chrome |
| Finishing | Glossy | Logo colour | Chrome |
| Design | Rounded | Side material | Steel |
| Material | Heat-moulded | Side colour | Cream |
| Handle | External | Logo | Applied |

Refrigerator compartment features



| | | | |
|----------------------------|-------|---------------------------------|-----|
| No. of adjustable shelves | 2 | Internal light in fridge | Yes |
| Type of adjustable shelves | Glass | Type of internal light (fridge) | LED |

Refrigerator Inner Door

| | | | |
|-----------------------------------|---|-----------------------|---|
| Number of adjustable door shelves | 2 | No. of bottle shelves | 1 |
|-----------------------------------|---|-----------------------|---|

Other Refrigerator features

| | |
|-------------|---------------------------------|
| Accessories | Bottle rack, Separatore lattine |
|-------------|---------------------------------|

Other technical features



| | |
|-----------------------------|--------------------|
| Antibacterial Gasket | Yes |
| Type of temperature control | Electro-mechanical |
| No. of compressors | 1 |
| Refrigerant gas type | R600a |
| Type of compressor | Standard |
| Refrigerant Quantity (gr) | 28 g |
| Foam agent | Cyclopentane |





Performance / Energy Label NEW 2019



| | | | |
|--|----------|--|-----------------|
| Annual energy consumption | 88 kWh/a | Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) | 135 l |
| Energy efficiency class | E | Airborne acoustical noise emissions | 35 dB(A) re 1pW |
| Airborne acoustical noise emission class | B | Climate class | SN, N, ST, T |
| Total net volume | 135 l | EER | 96 % |

Electrical Connection

| | | | |
|------------------------------|--------------|---------------------------|-----------|
| Plug | (F;E) Schuko | Voltage (V) | 220-240 V |
| Electrical connection rating | 50 W | Frequency (Hz) | 50 Hz |
| Current | 0,35 A | Power supply cable length | 180 cm |



Symbols glossary (TT)



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Antibacterial treatment: antibacterial treatment to ensure better hygiene



A++: Energy efficiency class A++ helps to save up to 20% energy compared to class A. Maximum performance with minimum consumption is guaranteed.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Energy efficiency class E