FAB10HLCR5AU

Product Family	Refrigerator
Installation	Free Standing
Category	One Door
Reference width	Until 60 cm
Reference height	Until 100 cm
Cooling type	Static
Hinge type	Standard
Hinge position	Left
EAN code	8017709308360

Aesthetics

Aesthetic	50's Style	**Handle type**	Fixed
Colour	Cream	**Handle colour**	Chrome
Design	Rounded	**Logo colour**	Chrome
Finishing	Glossy	**Side material**	Steel
Material	Heat-moulded	**Side colour**	Cream
Handle	External	**Logo**	Applied

Refrigerator compartment features

No. of adjustable shelves	2	**Internal light in fridge**	Yes
Shelves material	Glass	**Type of internal light (fridge)**	LED

Refrigerator Inner Door

Number of adjustable door shelves	2	**No. of bottle shelves**	1

Other Refrigerator features

Accessories	Bottle rack, Separatore lattine

Other technical features

Type of temperature control	Electro-mechanical
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Standard
Refrigerant Quantity (g)	28 g
Foam agent	Cyclopentane

Performance / Energy Label

Annual energy consumption	88 kWh/a	**Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)**	135 l
Energy efficiency class	E		
Airborne acoustical noise emission class	B	**Noise level**	35 dB(A) re 1 pW
Total volume	135 l	**Climatic class**	SN, N, ST, T
		EEI	96 %

Electrical Connection

Current	0.35 A	**Power supply cable length**	180 cm
Voltage (V)	220-240 V		
Frequency (Hz)	50 Hz	**Plug**	(I) Australia

Logistic Information

Width	545 mm	**Product width with maximum doors opening**	842 mm
Depth without handle	659 mm		
Height max	970 mm	**Product depth with handle**	701 mm
		Product depth with doors open at 90°	1085 mm

Alternative products

FAB10HLBL5AU

Hinge position: Left
Black

FAB10HLRD5AU

Hinge position: Left
Red

Symbols glossary

A++: Energy efficiency class A++ helps to save up to 20% energy compared to class A. Maximum performance with minimum consumption is guaranteed.

Energy efficiency class E

LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.