

FAB10HLRD5



Product Family Refrigerator Installation Free standing Category One Door Reference width Until 60 Until 100 Reference height Cooling type Static **Defrost Automatic** Standard Hinge type Hinge position Left

EAN code 8017709298746



Aesthetics

Aesthetic 50's Style Handle type Fixed Colour Red Handle colour Chrome **Finishing** Logo colour Glossy Chrome Design Rounded Side material Steel Material Side colour Heat-moulded Red Handle External Logo Applied

Refrigerator compartment features



No. of adjustable

shelves

Type of adjustable

shelves

2

Glass

Internal light in fridge

Type of internal light

(fridge)

Yes LED

Refrigerator Inner Door

Number of adjustable

door shelves

2

No. of bottle shelves

1

Other Refrigerator features

Accessories Bottle rack, Separatore

lattine



Other technical features

Type of temperature control

No. of compressors Refrigerant gas type Type of compressor Refrigerant Quantity (gr)

Foam agent

Electro-mechanical

R600a

Standard

28 q

Cyclopentane

Performance / Energy Label - Reg. 2019

E A

Annual energy

consumption

Energy efficiency class Airborne acoustical noise emission class

Total net volume

88 kWh/a

135 I

Sum of the volumes of 135 I the chill compartment(s) and the unfrozen

compartment(s)

Airborne acoustical

noise emissions

Climate class SN, N, ST, T

EEI 96 %

Electrical Connection

Plug (F;E) Schuko **Electrical connection** 50 W

rating


Current

0,35 A

Voltage (V) Frequency (Hz) Power supply cable

220-240 V 50 Hz 180 cm

35 dB(A) re 1 pW





Alternative products



FAB10HLBL5

Hinge position: Left



FAB10HLCR5

Hinge position: Left Cream



FAB10HLWH5

Hinge position: Left

White



Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.





LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.

Energy efficiency class E



Benefit (TT)

Refrigerant gas R600a

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

Climate class

Climatic class SN-T makes the appliance suitable for working at room temperature between 10 $^{\circ}$ C and 43 $^{\circ}$ C (50 $^{\circ}$ F \sim 109 $^{\circ}$ F)

External handle

The external handle ensures practicality and ease of use of the refrigerator

Refrigerator Internal lighting

Interior lighting for perfect visibility of shelves in the refrigerator compartment