FAB10HLWH6



Product Family	Refrigerator
Installation	Free Standing
Category	One Door
Reference width	Until 60 cm
Reference height	Until 100 cm
Cooling type	Static
Defrost	Automatic
Hinge type	Standard
Hinge position	Left
EAN code	8017709342630

Aesthetics

Aesthetic	50's Style	**Handle type**	Fixed
Colour	White	**Handle colour**	Chrome
Design	Rounded	**Logo colour**	Chrome
Finishing	Glossy	**Side material**	Steel
Material	Heat-moulded	**Side colour**	White
Handle	External	**Logo**	Applied

Refrigerator compartment features

No. of adjustable shelves	2	**Internal light in fridge**	Yes
Shelves material	Glass	**Type of internal light (fridge)**	LED
No. of lights	1		

Refrigerator Inner Door

Number of adjustable door shelves	2	**No. of bottle shelves**	1

Other Refrigerator features

Accessories	Bottle rack, Separatore lattine

Other technical features

Type of temperature control	Electro-mechanical
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Standard
Refrigerant Quantity (g)	28 g
Foam agent	Cyclopentane

Performance / Energy Label




Annual energy consumption	72 kWh/a	**Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)**	135 l
Energy efficiency class	D		
Airborne acoustical noise emission class	B	**Noise level**	35 dB(A) re 1 pW
Total volume	135 l	**Climatic class**	SN, N, ST, T
		EEI	79 %

Electrical Connection

Electrical connection rating	50 W	**Frequency (Hz)**	50 Hz
Current	0.35 A	**Power supply cable length**	180 cm
Voltage (V)	220-240 V	**Plug**	(F;E) Schuko

Logistic Information

Width	545 mm	**Product width with maximum doors opening**	842 mm
Depth without handle	659 mm	**Product depth with handle**	701 mm
Height max	970 mm	**Product depth with doors open at 90°**	1085 mm


545
951
943
970 - 980
19
69
513
168
881
659
701
545
20
1085
152
533
90°
552
1049
297
533
120°
516

Alternative products



FAB10HLRD6

Hinge position: Left
Red



FAB10HLBL6

Hinge position: Left
Black



FAB10HLCR6

Hinge position: Left
Cream

Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Energy efficiency class D