

FAB10HLWH6



Product Family Refrigerator Installation Free Standing One Door Category Reference width Until 60 Until 100 Reference height Cooling type Static **Defrost Automatic** Standard Hinge type Hinge position Left

EAN code 8017709342630



Aesthetics

Aesthetic 50's Style Handle type Fixed Colour White Handle colour Chrome **Finishing** Logo colour Glossy Chrome Design Rounded Side material Steel Side colour Material Heat-moulded White Handle External Logo Applied

Refrigerator compartment features



No. of adjustable

shelves

Type of adjustable

shelves

No. of lights

Internal light in fridge Type of internal light

(fridge)

Yes LED

Refrigerator Inner Door

Number of adjustable

door shelves

2

Glass

No. of bottle shelves

1

Other Refrigerator features

Accessories Bottle rack, Separatore

lattine



Other technical features

Type of temperature control

No. of compressors Refrigerant gas type Type of compressor Refrigerant Quantity (gr)

Foam agent

Electro-mechanical

R600a Standard 28 q

Cyclopentane

Performance / Energy Label

D †

Annual energy

consumption

Energy efficiency class Airborne acoustical

noise emission class

Total volume

72 kWh/a

В

135 I

Sum of the volumes of 135 I the chill compartment(s) and the unfrozen

compartment(s)

Noise level 35 dB(A) re 1 pW Climatic class SN, N, ST, T

EEI 79 %

Electrical Connection

Plug **Electrical connection**

rating

Current

(F;E) Schuko


50 W

0,35 A

Voltage (V) Frequency (Hz) Power supply cable

length

220-240 V 50 Hz 180 cm





Alternative products



FAB10HLRD6

Hinge position: Left

Red



FAB10HLBL6

Hinge position: Left

Black



FAB10HLCR6

Hinge position: Left

Cream



Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Energy efficiency class D



Benefit (TT)

Refrigerant gas R600a

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

Climate class

Climatic class SN-T makes the appliance suitable for working at room temperature between 10 $^{\circ}$ C and 43 $^{\circ}$ C (50 $^{\circ}$ F \sim 109 $^{\circ}$ F)

External handle

The external handle ensures practicality and ease of use of the refrigerator

Refrigerator Internal lighting

Interior lighting for perfect visibility of shelves in the refrigerator compartment