

FAB10HLWH6



| | |
|------------------|---------------|
| Product Family | Refrigerator |
| Installation | Free standing |
| Category | One Door |
| Reference width | Until 60 cm |
| Reference height | Until 100 cm |
| Cooling type | Static |
| Defrost | Automatic |
| Hinge type | Standard |
| Hinge position | Left |
| EAN code | 8017709342630 |



Aesthetics

| | | | |
|-----------|--------------|---------------|---------|
| Aesthetic | 50's Style | Handle type | Fixed |
| Colour | White | Handle colour | Chrome |
| Design | Rounded | Logo colour | Chrome |
| Finishing | Glossy | Side material | Steel |
| Material | Heat-moulded | Side colour | White |
| Handle | External | Logo | Applied |

Refrigerator compartment features



| | | | |
|--|-------|---------------------------------|-----|
| No. of adjustable shelves | 2 | Internal light in fridge | Yes |
| Shelves material | Glass | Type of internal light (fridge) | LED |
| No. of lights refrigerator compartment | 1 | | |

Refrigerator Inner Door

| | | | |
|-----------------------------------|---|-----------------------|---|
| Number of adjustable door shelves | 2 | No. of bottle shelves | 1 |
|-----------------------------------|---|-----------------------|---|

Other Refrigerator features

| | |
|-------------|---------------------------------|
| Accessories | Bottle rack, Separatore lattine |
|-------------|---------------------------------|

Other technical features

| | |
|-----------------------------|--------------------|
| Type of temperature control | Electro-mechanical |
| No. of compressors | 1 |
| Refrigerant gas type | R600a |
| Type of compressor | Standard |
| Refrigerant Quantity (g) | 28 g |
| Foam agent | Cyclopentane |

Performance / Energy Label - Reg. 2019

| | | | |
|--|----------|--|------------------|
|  Annual energy consumption | 72 kWh/a | Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) | 135 l |
| Energy efficiency class | D | Airborne acoustical noise emissions | 35 dB(A) re 1 pW |
| Airborne acoustical noise emission class | B | Climate class | SN, N, ST, T |
| Total net volume | 135 l | EEL | 79 % |

Electrical Connection

| | | | |
|------------------------------|-----------|---------------------------|--------------|
| Electrical connection rating | 50 W | Frequency (Hz) | 50 Hz |
| Current | 0,35 A | Power supply cable length | 180 cm |
| Voltage (V) | 220-240 V | Plug | (F;E) Schuko |

Logistic Information

| | | | |
|----------------------|--------|--|---------|
| Width | 545 mm | Product width with maximum doors opening | 842 mm |
| Depth without handle | 659 mm | Product depth with handle | 701 mm |
| Height | 970 mm | Product depth with doors open at 90° | 1085 mm |



Alternative products



FAB10HLRD6

Hinge position: Left
Red



FAB10HLBL6

Hinge position: Left
Black



FAB10HLCR6

Hinge position: Left
Cream

Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Energy efficiency class D