

FAB10HRCR5AU

| | |
|------------------|---------------|
| Product Family | Refrigerator |
| Installation | Free Standing |
| Category | One Door |
| Reference width | Until 60 cm |
| Reference height | Until 100 cm |
| Cooling type | Static |
| Hinge type | Standard |
| Hinge position | Right |
| EAN code | 8017709308346 |



Aesthetics

| | | | |
|-----------|--------------|---------------|---------|
| Aesthetic | 50's Style | Handle type | Fixed |
| Colour | Cream | Handle colour | Chrome |
| Design | Rounded | Logo colour | Chrome |
| Finishing | Glossy | Side material | Steel |
| Material | Heat-moulded | Side colour | Cream |
| Handle | External | Logo | Applied |

Refrigerator compartment features



| | | | |
|---------------------------|-------|---------------------------------|-----|
| No. of adjustable shelves | 2 | Internal light in fridge | Yes |
| Shelves material | Glass | Type of internal light (fridge) | LED |

Refrigerator Inner Door

| | | | |
|-----------------------------------|---|-----------------------|---|
| Number of adjustable door shelves | 2 | No. of bottle shelves | 1 |
|-----------------------------------|---|-----------------------|---|

Other Refrigerator features

| | |
|-------------|---------------------------------|
| Accessories | Bottle rack, Separatore lattine |
|-------------|---------------------------------|

Other technical features

| | |
|-----------------------------|--------------------|
| Type of temperature control | Electro-mechanical |
| No. of compressors | 1 |
| Refrigerant gas type | R600a |
| Type of compressor | Standard |
| Refrigerant Quantity (g) | 28 g |
| Foam agent | Cyclopentane |

Performance / Energy Label

| | | | |
|--|----------|--|------------------|
|  | | | |
| Annual energy consumption | 88 kWh/a | Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) | 135 l |
| Energy efficiency class | E | Noise level | 35 dB(A) re 1 pW |
| Airborne acoustical noise emission class | B | Climatic class | SN, N, ST, T |
| Total volume | 135 l | EEl | 96 % |

Electrical Connection

| | | | |
|----------------|-----------|---------------------------|---------------|
| Current | 0.35 A | Power supply cable length | 180 cm |
| Voltage (V) | 220-240 V | Plug | (I) Australia |
| Frequency (Hz) | 50 Hz | | |

Logistic Information

| | | | |
|----------------------|--------|--|---------|
| Width | 545 mm | Product width with maximum doors opening | 842 mm |
| Depth without handle | 659 mm | Product depth with handle | 701 mm |
| Height max | 970 mm | Product depth with doors open at 90° | 1085 mm |

Alternative products



FAB10HRBL5AU

Hinge position: Right
Black



FAB10HRRD5AU

Hinge position: Right
Red

Symbols glossary



A++: Energy efficiency class A++ helps to save up to 20% energy compared to class A. Maximum performance with minimum consumption is guaranteed.



Energy efficiency class E



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.