# FAB10HRWH5




| | |
|---|---|
| **Product Family** | Refrigerator |
| **Installation** | Free Standing |
| **Category** | One Door |
| **Reference width** | Until 60 cm |
| **Reference height** | Until 100 cm |
| **Cooling type** | Static |
| **Defrost** | Automatic |
| **Hinge type** | Standard |
| **Hinge position** | Right |
| **EAN code** | 8017709297985 |

## Aesthetics

| | | | |
|---|---|---|---|
| **Aesthetic** | 50's Style | **Handle type** | Fixed |
| **Colour** | White | **Handle colour** | Chrome |
| **Design** | Rounded | **Logo colour** | Chrome |
| **Finishing** | Glossy | **Side material** | Steel |
| **Material** | Heat-moulded | **Side colour** | White |
| **Handle** | External | **Logo** | Applied |

## Refrigerator compartment features

| | | | |
|---|---|---|---|
| **No. of adjustable shelves** | 2 | **Internal light in fridge** | Yes |
| **Shelves material** | Glass | **Type of internal light (fridge)** | LED |

## Refrigerator Inner Door

| | | | |
|---|---|---|---|
| **Number of adjustable door shelves** | 2 | **No. of bottle shelves** | 1 |

## Other Refrigerator features

| | |
|---|---|
| **Accessories** | Bottle rack, Separatore lattine |

## Other technical features

| | |
|---|---|
| **Type of temperature control** | Electro-mechanical |
| **No. of compressors** | 1 |
| **Refrigerant gas type** | R600a |
| **Type of compressor** | Standard |
| **Refrigerant Quantity (g)** | 28 g |
| **Foam agent** | Cyclopentane |

## Performance / Energy Label




| | |
|---|---|
| **Annual energy consumption** | 88 kWh/a |
| **Energy efficiency class** | E |
| **Airborne acoustical noise emission class** | B |
| **Total volume** | 135 l |
| **Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)** | 135 l |
| **Noise level** | 35 dB(A) re 1 pW |
| **Climatic class** | SN, N, ST, T |
| **EEI** | 96 % |

## Electrical Connection

| | |
|---|---|
| **Electrical connection rating** | 50 W |
| **Current** | 0,35 A |
| **Voltage (V)** | 220-240 V |
| **Frequency (Hz)** | 50 Hz |
| **Power supply cable length** | 180 cm |
| **Plug** | (F;E) Schuko |

## Logistic Information

| | |
|---|---|
| **Width** | 545 mm |
| **Depth without handle** | 659 mm |
| **Height max** | 970 mm |
| **Product width with maximum doors opening** | 842 mm |
| **Product depth with handle** | 701 mm |
| **Product depth with doors open at 90°** | 1085 mm |


545
951
943
970-980
25
513
168
69
881
659
701
20
545
533
152
90°
1085
552
533
297
1049
120°
516

## Alternative products



**FAB10HRDIT5**

**Hinge position:** Right
Decorated / Special



**FAB10HRBL5**

**Hinge position:** Right
Black



**FAB10HRPB5**

**Hinge position:** Right
Pastel blue



**FAB10HRPK5**

**Hinge position:** Right
Pink



**FAB10HRRD5**

**Hinge position:** Right
Red



**FAB10HRCR5**

**Hinge position:** Right
Cream



**FAB10HRPG5**

**Hinge position:** Right
Pastel green

## Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Energy efficiency class E



A++: Energy efficiency class A++ helps to save up to 20% energy compared to class A. Maximum performance with minimum consumption is guaranteed.




LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.