

FAB10HRWH5



| | |
|------------------|---------------|
| Product Family | Refrigerator |
| Installation | Free Standing |
| Category | One Door |
| Reference width | Until 60 cm |
| Reference height | Until 100 cm |
| Cooling type | Static |
| Defrost | Automatic |
| Hinge type | Standard |
| Hinge position | Right |
| EAN code | 8017709297985 |



Aesthetics

| | | | |
|-----------|--------------|---------------|---------|
| Aesthetic | 50's Style | Handle type | Fixed |
| Colour | White | Handle colour | Chrome |
| Design | Rounded | Logo colour | Chrome |
| Finishing | Glossy | Side material | Steel |
| Material | Heat-moulded | Side colour | White |
| Handle | External | Logo | Applied |

Refrigerator compartment features



| | | | |
|----------------------------|-------|---------------------------------|-----|
| No. of adjustable shelves | 2 | Internal light in fridge | Yes |
| Type of adjustable shelves | Glass | Type of internal light (fridge) | LED |

Refrigerator Inner Door

| | | | |
|-----------------------------------|---|-----------------------|---|
| Number of adjustable door shelves | 2 | No. of bottle shelves | 1 |
|-----------------------------------|---|-----------------------|---|

Other Refrigerator features

| | |
|-------------|---------------------------------|
| Accessories | Bottle rack, Separatore lattine |
|-------------|---------------------------------|

Other technical features

| | |
|-----------------------------|--------------------|
| Type of temperature control | Electro-mechanical |
| No. of compressors | 1 |
| Refrigerant gas type | R600a |
| Type of compressor | Standard |
| Refrigerant Quantity (g) | 28 g |
| Foam agent | Cyclopentane |

Performance / Energy Label


| | | | |
|--|----------|--|------------------|
|  | E | A | G |
| Annual energy consumption | 88 kWh/a | Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) | 135 l |
| Energy efficiency class | E | Noise level | 35 dB(A) re 1 pW |
| Airborne acoustical noise emission class | B | Climatic class | SN, N, ST, T |
| Total volume | 135 l | EEI | 96 % |

Electrical Connection

| | | | |
|------------------------------|-----------|---------------------------|--------------|
| Electrical connection rating | 50 W | Frequency (Hz) | 50 Hz |
| Current | 0,35 A | Power supply cable length | 180 cm |
| Voltage (V) | 220-240 V | Plug | (F;E) Schuko |

Logistic Information

| | | | |
|----------------------|--------|--|---------|
| Width | 545 mm | Product width with maximum doors opening | 842 mm |
| Depth without handle | 659 mm | Product depth with handle | 701 mm |
| Height max | 970 mm | Product depth with doors open at 90° | 1085 mm |



Alternative products

**FAB10HRDIT5**

Hinge position: Right
Decorated / Special

**FAB10HRBL5**

Hinge position: Right
Black

**FAB10HRPB5**

Hinge position: Right
Pastel blue

**FAB10HRPK5**

Hinge position: Right
Pink

**FAB10HRRD5**

Hinge position: Right
Red

**FAB10HRCR5**

Hinge position: Right
Cream

**FAB10HRPG5**

Hinge position: Right
Pastel green

Symbols glossary

 A++: Energy efficiency class A++ helps to save up to 20% energy compared to class A. Maximum performance with minimum consumption is guaranteed.

 The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.

 LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.

 Energy efficiency class E