FAB10RDUJ6



Product Family	Refrigerator
Installation	Free standing
Category	One Door
Reference width	Until 60 cm
Reference height	Until 100 cm
Cooling type	Static
Defrost	Automatic for refrigerator, manual for freezer
Hinge type	Standard
Hinge position	Right
EAN code	8017709342418

Aesthetics

Aesthetic	50's Style	**Handle colour**	Chrome
Colour	Decorated / Special	**Logo colour**	Chrome
Decoration / Special colour	Union Jack	**Side material**	Steel
		Side colour	Blue
Design	Rounded	**Logo**	Applied
Finishing	Glossy	**Door shelves profile color**	Silver
Material	Heat-moulded		
Handle	External	**Color of glass shelf profile**	Silver
Handle type	Fixed		

Refrigerator compartment features

Number of compartments	1	**Crisper Cover**	Yes
		Type of crisper/vegetable drawers cover	Glass
Compartment types	Fruit and vegetable compartment		
No. of adjustable shelves	1	**No. of lights refrigerator compartment**	1
Number of fruit and vegetables drawers	1	**Internal light in fridge**	Yes
		Type of internal light (fridge)	LED
Shelves material	Glass		
Type of crisper/vegetable drawers cover	Standard		

Refrigerator Inner Door

Number of adjustable door shelves	2	**No. of bottle shelves**	1

Freezer compartment features

Internal freezer compartment	Yes

Other technical features

Type of temperature control	Electro-mechanical
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Standard
Refrigerant Quantity (g)	25 g
Foam agent	Cyclopentane

Performance / Energy Label - Reg. 2019




Annual energy consumption	115 kWh/a	**Airborne acoustical noise emissions**	35 dB(A) re 1 pW
Energy efficiency class	D	**Temperature Rise Time**	6 h
Airborne acoustical noise emission class	B	**4 star - Freezing capacity**	2.6 kg/24h
Total net volume	122 l	**Climate class**	N, ST, T
Sum of the volumes of the frozen compartment(s)	17 l	**EEI**	79 %
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	105 l		

Electrical Connection

Electrical connection rating	50 W	**Frequency (Hz)**	50 Hz
Current	0.42 A	**Power supply cable length**	180 cm
Voltage (V)	220-240 V	**Plug**	(F;E) Schuko

Logistic Information

Width	545 mm	**Product width with maximum doors opening**	842 mm
Depth without handle	659 mm	**Product depth with handle**	701 mm
Height	970 mm	**Product depth with doors open at 90°**	1085 mm


545
951
943
970-980
25
513
168
69
881
659
701
20
545
533
152
90°
1085
552
533
297
1049
120°
516

Alternative products



FAB10RWH6

Hinge position: Right
White



FAB10RPB6

Hinge position: Right
Pastel blue



FAB10RCR6

Hinge position: Right
Cream



FAB10RDSN6

Hinge position: Right
White



FAB10RBL6

Hinge position: Right
Black



FAB10RRD6

Hinge position: Right
Red



FAB10RPG6

Hinge position: Right
Pastel green



FAB10RPK6

Hinge position: Right
Pink



FAB10ROR6

Hinge position: Right
Orange

Symbols glossary



4 stars freezing compartment for better food preservation.



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Energy efficiency class D



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.