

FAB10ULCR3



| | |
|----------------|--|
| Product family | Refrigerator |
| Installation | Freestanding |
| Category | Single door |
| Defrost | Automatic for refrigerator, manual for freezer |
| Hinge position | Left |
| EAN code | 8017709321406 |



Aesthetic

| | | | |
|--------------|-------------|---------------|---------|
| Aesthetics | Retro-Style | Logo color | Chromed |
| Color | Cream | Side material | Steel |
| Finishing | Glossy | Side color | Cream |
| Handle | External | Logo | Applied |
| Handle color | Chromed | | |

Refrigerator compartment features



| | | | |
|--|---------------------------------|-----------------------|----------|
| Number of compartments | 1 | Crisper drawer type | Standard |
| Compartment types | Fruit and vegetable compartment | Crisper cover | Yes |
| No. of adjustable shelves | 2 | Type of crisper cover | Glass |
| Number of fruit and vegetables drawers | 1 | Refrigerator lighting | Yes |
| Type of adjustable shelves | Glass | Refrigerator lighting | LED |

Refrigerator Inner Door

| | | | |
|-----------------------------------|---|-----------------------|---|
| Number of adjustable door shelves | 2 | No. of bottle shelves | 1 |
|-----------------------------------|---|-----------------------|---|

Freezer features

| | |
|------------------------------|-----|
| Internal freezer compartment | Yes |
|------------------------------|-----|

Other Freezer features

| | |
|----------------|-----|
| Ice-tray shelf | Yes |
|----------------|-----|

Other technical features

| | |
|--------------------------|--------------------|
| Temperature setting type | Electro-mechanical |
| No. of compressors | 1 |
| Refrigerant gas type | R600a |
| Compressor type | Standard |
| No. of evaporators | 2 |
| Foam agent | Cyclopentane |

Performance / Energy Label


| | | | |
|----------------|------------------|---------------------|--------------|
| Freezer volume | 0.60 cu. ft. | Refrigerator volume | 3.85 cu. ft. |
| Total volume | 4.48 cu. ft. | Climatic class | SN, N, ST, T |
| Noise level | 37 dB(A) re 1 pW | | |

Electrical Connection

| | | | |
|------------------------------|--------|-------------------|----------------|
| Electrical connection rating | 110 W | Frequency (Hz) | 60 Hz |
| Current | 1.25 A | Power cord length | 70 7/8 " |
| Voltage (V) | 120 V | Plug | (B) NEMA 5-15P |

Logistic Information

| | | | |
|----------------------|------------|---------------------------------|------------|
| Width | 21 7/16 " | Width with doors open at 90° | 33 1/8 " |
| Depth without handle | 25 15/16 " | Product depth (handle included) | 27 5/8 " |
| Height | 38 3/16 " | Depth with door open at 90° | 42 11/16 " |



Alternative products



FAB10ULWH3

Hinge position: Left
White

Symbols glossary



4 stars freezing compartment for better food preservation.



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



A++: Energy efficiency class A++ helps to save up to 20% energy compared to class A. Maximum performance with minimum consumption is guaranteed.



Energy efficiency class E



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.