

FAB10URRD3

**Product family**

Refrigerator

Installation

Freestanding

Category

Single door

Defrost

Automatic for refrigerator, manual for freezer

Kitchen panel

Not supplied

Hinge position

Right

EAN code

8017709321390



Aesthetic

| | | | |
|---------------------|-------------|----------------------------------|---------|
| Aesthetics | Retro-Style | Side material | Steel |
| Color | Red | Side color | Red |
| Finishing | Glossy | Logo | Applied |
| Handle | External | Door shelf profile color | Silver |
| Handle color | Chromed | Glass shelf profile color | Silver |
| Logo color | Chromed | | |

Refrigerator compartment features



| | | | |
|---|---------------------------------|------------------------------|----------|
| Number of compartments | 1 | Crisper drawer type | Standard |
| Compartment types | Fruit and vegetable compartment | Crisper cover | Yes |
| No. of adjustable shelves | 1 | Type of crisper cover | Glass |
| Number of fruit and vegetables drawers | 1 | Refrigerator lighting | Yes |
| Type of adjustable shelves | Glass | Refrigerator lighting | LED |

Refrigerator Inner Door

| | | | |
|--|---|------------------------------|---|
| Number of adjustable door shelves | 2 | No. of bottle shelves | 1 |
|--|---|------------------------------|---|

Freezer features

Internal freezer compartment Yes

Other Freezer features

Ice-tray shelf Yes

Other technical features

| | |
|---------------------------------|--------------------|
| Temperature setting type | Electro-mechanical |
| No. of compressors | 1 |
| Refrigerant gas type | R600a |
| Compressor type | Standard |
| No. of evaporators | 2 |
| Foam agent | Cyclopentane |

Performance / Energy Label


| | | | |
|-------------------------|------------------|----------------------------|--------------|
| Noise level | 37 dB(A) re 1 pW | Refrigerator volume | 3.85 cu. ft. |
| Freezer capacity | 0.64 cu. ft. | Climatic class | SN, N, ST, T |

Electrical Connection

| | | | |
|-------------------------------------|--------|--------------------------|----------------|
| Electrical connection rating | 110 W | Frequency (Hz) | 60 Hz |
| Current | 1.25 A | Power cord length | 70 7/8 " |
| Voltage (V) | 120 V | Plug | (B) NEMA 5-15P |

Logistic Information

| | | | |
|-----------------------------|------------|--|------------|
| Width | 21 7/16 " | Width with doors open at 90° | 33 1/8 " |
| Depth without handle | 25 15/16 " | Product depth (handle included) | 27 5/8 " |
| Height | 38 3/16 " | Depth with door open at 90° | 42 11/16 " |



Alternative products



FAB10URPG3

Hinge position: Right
Pastel green



FAB10URWH3

Hinge position: Right
White



FAB10URPB3

Hinge position: Right
Pastel Blue



FAB10URCR3

Hinge position: Right
Cream



FAB10URBL3

Hinge position: Right
Black

Symbols glossary

| | | | |
|--|--|---|---|
|  | 4 stars freezing compartment for better food preservation. |  | The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether. |
|  | A++: Energy efficiency class A++ helps to save up to 20% energy compared to class A. Maximum performance with minimum consumption is guaranteed. |  | Energy efficiency class E |
|  | LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance. | | |