

FAB28R-DG



| | |
|------------------|--|
| Product Family | Refrigerator |
| Installation | Free standing |
| Category | One Door |
| Reference width | Until 60 |
| Reference height | 100 - 160 |
| Cooling type | Fan assisted |
| Defrost | Automatic for refrigerator, manual for freezer |
| Hinge type | Standard |
| Hinge position | Right |
| EAN code | 8017709226466 |

Aesthetics

| | | | |
|----------------|----------------------|------------------|---------------------|
| Aesthetic | 50's Style | Handle type | Fixed |
| Series | Frigoriferi d'arte | Handle colour | Chrome |
| Colour | Decorated / Special | Logo colour | Chrome |
| Finishing | Glossy | Side material | Steel |
| Collaborations | Smeg & Dolce&Gabbana | Side colour | Decorated / Special |
| Design | Rounded | Logo | Applied |
| Material | Heat-moulded | Display position | |
| Handle | External | | |

Refrigerator compartment features



| | | | |
|---|----------|---|-------|
| No. of adjustable shelves | 3 | Bottle shelf | Yes |
| Number of fruit and vegetables drawers | 1 | Type of crisper/vegetable drawers cover | Glass |
| Type of adjustable shelves | Glass | Internal light in fridge | Yes |
| Type of crisper/vegetable drawers cover | Standard | Type of internal light (fridge) | LED |
| Crisper Cover | Yes | | |

Refrigerator Inner Door

| | | | |
|--|---|-----------------------|---|
| No. of door shelves with transparent cover | 1 | No. of bottle shelves | 1 |
|--|---|-----------------------|---|

| | | | |
|---|-----|----------------------------------|-----|
| Number of adjustable door shelves | 1 | Bottle shelves with wire support | Yes |
| Adjustable door shelves with wire support | Yes | | |

Other Refrigerator features



| | |
|-----|-----|
| Fan | Yes |
|-----|-----|

Freezer compartment features

| | |
|------------------------------|-----|
| Internal freezer compartment | Yes |
|------------------------------|-----|

Other technical features

| | |
|-----------------------------|--------------------|
| Type of temperature control | Electro-mechanical |
| No. of compressors | 1 |
| Refrigerant gas type | R600a |
| Type of compressor | Standard |
| Refrigerant Quantity (gr) | 45 g |
| Foam agent | Cyclopentane |






Performance / Energy Label - Reg. 2019

| | |
|-------------------------------------|------------------|
| Airborne acoustical noise emissions | 39 dB(A) re 1 pW |
|-------------------------------------|------------------|

Electrical Connection

| | | | |
|------------------------------|--------------|---------------------------|-----------|
| Plug | (F;E) Schuko | Voltage (V) | 220-240 V |
| Electrical connection rating | 90 W | Frequency (Hz) | 50 Hz |
| Current | 0,75 A | Power supply cable length | 180 cm |

Symbols glossary

- | | | | |
|--|---|---|--|
|  | 4 stars freezing compartment for better food preservation. |  | |
|  | The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether. |  | Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge. |
|  | LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance. | | |

Benefit (TT)

Fan

The fan contributes to an even distribution of air inside the refrigerator

Refrigerant gas R600a

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

Climate class

Climatic class SN-T makes the appliance suitable for working at room temperature between 10 °C and 43 °C (50 °F ~ 109 °F)

External handle

The external handle ensures practicality and ease of use of the refrigerator

Refrigerator Internal lighting

Interior lighting for perfect visibility of shelves in the refrigerator compartment

Fruit and vegetable drawer

The fruit and vegetable drawer ensures the best storage conditions for fresh food, avoiding any contamination