

FAB28RBL5AU



| | |
|------------------|--|
| Product Family | Refrigerator |
| Installation | Free Standing |
| Category | One Door |
| Reference width | Until 60 |
| Reference height | 100 - 160 |
| Cooling type | Fan assisted |
| Defrost | Automatic for refrigerator, manual for freezer |
| Hinge type | Standard |
| Hinge position | Right |
| EAN code | 8017709311773 |



Aesthetics

| | | | |
|---------------|--------------|------------------------------|---------|
| Aesthetic | 50's Style | Logo colour | Chrome |
| Colour | Black | Side material | Steel |
| Finishing | Glossy | Side colour | Black |
| Design | Rounded | Logo | Applied |
| Material | Heat-moulded | Door shelves profile color | Chrome |
| Handle | External | Drawers profile color | Chrome |
| Handle type | Fixed | Color of glass shelf profile | Chrome |
| Handle colour | Chrome | | |

Refrigerator compartment features



| | | | |
|---|------------------|---|-------|
| No. of adjustable shelves | 2 | Crisper Cover | Yes |
| Number of fruit and vegetables drawers | 1 | Type of crisper/vegetable drawers cover | Glass |
| Type of adjustable shelves | Glass | Internal light in fridge | Yes |
| Type of crisper/vegetable drawers cover | On sliding rails | Type of internal light (fridge) | LED |

Refrigerator Inner Door

| | | | |
|--|---|-----------------------|---|
| No. of door shelves with transparent cover | 1 | No. of bottle shelves | 1 |
|--|---|-----------------------|---|

| | | | |
|---|-----|----------------------------------|-----|
| Number of adjustable door shelves | 1 | Bottle shelves with wire support | Yes |
| Adjustable door shelves with wire support | Yes | | |

Other Refrigerator features



| | | | |
|-----------|-----|-----|-----|
| MultiFlow | Yes | Fan | Yes |
|-----------|-----|-----|-----|

Freezer compartment features

| | |
|------------------------------|-----|
| Internal freezer compartment | Yes |
|------------------------------|-----|

Other technical features



| | |
|-----------------------------|---------------------|
| Door open alarm | Acoustic and visual |
| Type of temperature control | Electronic |
| No. of compressors | 1 |
| Refrigerant gas type | R600a |
| Type of compressor | Inverter |
| Refrigerant Quantity (gr) | 32 g |
| Foam agent | Cyclopentane |









Performance / Energy Label

| | |
|-------------|------------------|
| Noise level | 35 dB(A) re 1 pW |
|-------------|------------------|

Electrical Connection

| | | | |
|------------------------------|---------------|---------------------------|-----------|
| Plug | (I) Australia | Voltage (V) | 220-240 V |
| Electrical connection rating | 90 W | Frequency (Hz) | 50/60 Hz |
| Current | 1 A | Power supply cable length | 180 cm |

Symbols glossary

- | | | | |
|--|---|---|---|
|  | 4 stars freezing compartment for better food preservation. |  | A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating. |
|  | The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether. |  | Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge. |
|  | LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance. |  | Inverter technology: The evolution of Smeg's driers towards more intelligent and environmentally sustainable models has led to the choice of using Inverter technology with heat pumps, which reduces significantly energy consumption. |
|  | Air plus: keeps food fresher for longer. |  | Energy efficiency class D |

Benefit (TT)

Plastic multiflow system

The Multiflow system ensures even distribution of cold air inside the refrigerator

Fan

The fan contributes to an even distribution of air inside the refrigerator

Refrigerant gas R600a

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

Climate class

Climatic class SN-T makes the appliance suitable for working at room temperature between 10 °C and 43 °C (50 °F ~ 109 °F)

External handle

The external handle ensures practicality and ease of use of the refrigerator

Refrigerator Internal lighting

Interior lighting for perfect visibility of shelves in the refrigerator compartment

Fruit and vegetable drawer

The fruit and vegetable drawer ensures the best storage conditions for fresh food, avoiding any contamination

Inverter compressor

Inverter compressor reduces noise and vibration levels for a quiet and comfortable kitchen environment

Inverter compressor technology offers significant advantages for refrigeration systems, improving both performance and efficiency. Better temperature control ensures a more stable and constant indoor environment, preserving the freshness of food. This technology also results in reduced energy consumption, as the compressor adjusts its speed according to cooling needs.