

FAB28RDPP5





Product Family Refrigerator Installation Free Standing One Door Category Reference width Until 60 100 - 160 Reference height

Cooling type Fan assisted refrigerator, static

freezer

Defrost Automatic for refrigerator, manual for

freezer

Hinge type Standard Hinge position Right

EAN code 8017709330606



Aesthetics

Aesthetic 50's Style Logo colour Chrome Colour Perfectly Pale Side material Steel

Finishing Matte Side colour Decorated / Special Design Rounded Logo **Applied** Material Heat-moulded Door shelves profile Chrome Handle External

Drawers profile color Handle type Fixed Color of glass shelf Handle colour Chrome

profile

Chrome Chrome

Refrigerator compartment features





Number of

compartments Compartment types

compartment, Fruit and

No. of adjustable

shelves

Number of fruit and vegetables drawers

Type of adjustable

shelves

Type of crisper/vegetable

drawers cover

2

Low temperature

vegetable compartment 2

1

Glass

On sliding rails

Crisper Cover Type of crisper/vegetable drawers cover Life Plus zone-0°C

Internal light in fridge Type of internal light

(fridge)

Yes Glass

Yes

Yes **LED**



Refrigerator Inner Door

No. of door shelves with 1

transparent cover

Number of adjustable

door shelves

Adjustable door shelves Yes

with wire support

No. of bottle shelves Bottle shelves with wire Yes

support

Other Refrigerator features





MultiFlow

Yes

Fan

Yes

Freezer compartment features

Internal freezer compartment

Yes

Other technical features



Door open alarm

Type of temperature control

No. of compressors Refrigerant gas type Type of compressor Refrigerant Quantity (gr)

Foam agent

Acoustic and visual

Electronic

1 R600a Inverter 32 g

Cyclopentane

Performance / Energy Label



Annual energy

130 kWh/a

D

270 I

26 I

244 I

consumption

Energy efficiency class Airborne acoustical В

noise emission class Total volume

Sum of the volumes of the frozen

compartment(s)

Sum of the volumes of the chill compartment(s)

and the unfrozen compartment(s)

Noise level Temperature Rise Time

4 star - Freezing

capacity

Climatic class

35 dB(A) re 1 pW

9 h

2.6 Kg/24h


SN, N, ST, T


EEI 79 %



Electrical Connection

Plug Electrical connection rating Current (F;E) Schuko 90 W Voltage (V) Frequency (Hz) Power supply cable length 220-240 V 50/60 Hz 180 cm







Alternative products



FAB28RDTP5

Hinge position: Right

Taupe



FAB28RDRB5

Hinge position: Right

Ruby Red



FAB28RCR5

Hinge position: Right

Cream



FAB28RPB5

Hinge position: Right

Pastel blue



FAB28RYW5

Hinge position: Right

Yellow



FAB28RDUJ5

Hinge position: Right

Decorated / Special



FAB28RDMC5

Hinge position: Right

Decorated / Special



FAB28RDLB5

Hinge position: Right

Light Blue



FAB28ROR5

Hinge position: Right

Orange



FAB28RDBLV5

Hinge position: Right Decorated / Special

Decorated / Specia



FAB28RDIT5

Hinge position: Right Decorated / Special

Decorated / Special



FAB28RRD5

Hinge position: Right

Red



FAB28RPG5

Hinge position: Right

Pastel green



FAB28RBE5

Hinge position: Right

Blue



FAB28RDSA5

Hinge position: Right

Sea Salt Green



FAB28RDBLM5

Hinge position: Right

Matte black



FAB28RDBB5

Hinge position: Right

Decorated / Special

. . . .

FAB28RWH5

Hinge position: Right

White





FAB28RDRU5

Hinge position: Right

Rust



FAB28RLI5

Hinge position: Right

Lime green



FAB28RBL5

Hinge position: Right

Black



FAB28RDEG5

Hinge position: Right

Emerald Green



FAB28RPK5

Hinge position: Right

Pink



FAB28RSV5

Hinge position: Right

Silver



Symbols glossary



4 stars freezing compartment for better food preservation.



A ... A ...

A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Life Plus 0°C: The temperature in the Lifeplus compartments is kept at 0°C, which preserves fresh meat and fish longer.



Inverter technology: The evolution of Smeg's driers towards more intelligent and environmentally sustainable models has led to the choice of using Inverter technology with heat pumps, which reduces significantly energy consumption.



Air plus: keeps food fresher for longer.

Energy efficiency class D



Benefit (TT)

Plastic multiflow system

The Multiflow system ensures even distribution of cold air inside the refrigerator

Fan

The fan contributes to an even distribution of air inside the refrigerator

Refrigerant gas R600a

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

Climate class

Climatic class SN-T makes the appliance suitable for working at room temperature between 10 $^{\circ}$ C and 43 $^{\circ}$ C (50 $^{\circ}$ F $^{\circ}$ 109 $^{\circ}$ F)

External handle

The external handle ensures practicality and ease of use of the refrigerator

Life Plus 0°

Temperature-controlled Life Plus compartment for optimal storage of specific food categories

Refrigerator Internal lighting

Interior lighting for perfect visibility of shelves in the refrigerator compartment

Fruit and vegetable drawer

The fruit and vegetable drawer ensures the best storage conditions for fresh food, avoiding any contamination

Inverter compressor

Inverter compressor reduces noise and vibration levels for a quiet and comfortable kitchen environment

Inverter compressor technology offers significant advantages for refrigeration systems, improving both performance and efficiency. Better temperature control ensures a more stable and constant indoor environment, preserving the freshness of food. This technology also results in reduced energy consumption, as the compressor adjusts its speed according to cooling needs.