

# FAB28RDRB6



|                         |  |
|-------------------------|--|
| <b>Product Family</b>   | Refrigerator                                   |
| <b>Installation</b>     | Free standing                                  |
| <b>Category</b>         | One Door                                       |
| <b>Reference width</b>  | Until 60 cm                                    |
| <b>Reference height</b> | 100 - 160 cm                                   |
| <b>Cooling type</b>     | Fan assisted refrigerator, static freezer      |
| <b>Defrost</b>          | Automatic for refrigerator, manual for freezer |
| <b>Hinge type</b>       | Standard                                       |
| <b>Hinge position</b>   | Right  |
| <b>EAN code</b>         | 8017709352950                                  |



## Aesthetics

|                      |              |                                     |                     |
|----------------------|--------------|-------------------------------------|---------------------|
| <b>Aesthetic</b>     | 50's Style   | <b>Logo colour</b>                  | Chrome              |
| <b>Colour</b>        | Ruby Red     | <b>Side material</b>                | Steel               |
| <b>Design</b>        | Rounded      | <b>Side colour</b>                  | Decorated / Special |
| <b>Finishing</b>     | Matt         | <b>Logo</b>                         | Applied             |
| <b>Material</b>      | Heat-moulded | <b>Door shelves profile color</b>   | Chrome              |
| <b>Handle</b>        | External     | <b>Drawers profile color</b>        | Chrome              |
| <b>Handle type</b>   | Fixed        | <b>Color of glass shelf profile</b> | Chrome              |
| <b>Handle colour</b> | Chrome       |                                     |                     |

## Refrigerator compartment features



|  |  |  |       |
|--|--|--|-------|
| <b>Number of compartments</b>                  | 2  | <b>Crisper Cover</b>                           | Yes   |
| <b>Compartment types</b>                       | Low temperature compartment, Fruit and vegetable compartment | <b>Type of crisper/vegetable drawers cover</b> | Glass |
| <b>No. of adjustable shelves</b>               | 2  | <b>No. of lights refrigerator compartment</b>  | 2     |
| <b>Number of fruit and vegetables drawers</b>  | 1  | <b>Low temperature compartment</b>             | Yes   |
| <b>Shelves material</b>                        | Glass  | <b>Internal light in fridge</b>                | Yes   |
| <b>Type of crisper/vegetable drawers cover</b> | On sliding rails   | <b>Type of internal light (fridge)</b>         | LED   |

## Refrigerator Inner Door

|  |     |                                  |     |
|--|-----|----------------------------------|-----|
| No. of door shelves with transparent cover | 1   | No. of bottle shelves            | 1   |
| Number of adjustable door shelves          | 1   | Bottle shelves with wire support | Yes |
| Adjustable door shelves with wire support  | Yes |                                  |     |

## Other Refrigerator features



|                  |             |     |     |
|------------------|-------------|-----|-----|
| Humidity Control | Yes, manual | Fan | Yes |
| MultiFlow        | Yes         |     |     |

## Freezer compartment features

|                              |     |
|------------------------------|-----|
| Internal freezer compartment | Yes |
|------------------------------|-----|

## Other technical features



|                             |                     |
|-----------------------------|---------------------|
| Door open alarm             | Acoustic and visual |
| Type of temperature control | Electronic          |
| No. of compressors          | 1                   |
| Refrigerant gas type        | R600a               |
| Type of compressor          | Inverter            |
| Refrigerant Quantity (g)    | 35 g                |
| Foam agent                  | Cyclopentane        |

## Performance / Energy Label - Reg. 2019



|  |           |                                     |                  |
|--|-----------|-------------------------------------|------------------|
| Annual energy consumption  | 104 kWh/a | Airborne acoustical noise emissions | 35 dB(A) re 1 pW |
| Energy efficiency class  | C         | Temperature Rise Time               | 9 h              |
| Airborne acoustical noise emission class                                       | B         | 4 star - Freezing capacity          | 5 kg/24h         |
| Total net volume   | 270 l     | Climate class                       | SN, N, ST, T     |
| Sum of the volumes of the frozen compartment(s)                                | 26 l      | EEl                                 | 64 %             |
| Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) | 244 l     |                                     |                  |

## Electrical Connection

|                              |           |                           |              |
|------------------------------|-----------|---------------------------|--------------|
| Electrical connection rating | 90 W      | Frequency (Hz)            | 50/60 Hz     |
| Current                      | 1 A       | Power supply cable length | 180 cm       |
| Voltage (V)                  | 220-240 V | Plug                      | (F;E) Schuko |

## Logistic Information

|                      |         |  |         |
|----------------------|---------|--|---------|
| Width                | 601 mm  | Product width with maximum doors opening | 926 mm  |
| Depth without handle | 728 mm  | Product depth with handle                | 768 mm  |
| Height               | 1530 mm | Product depth with doors open at 90°     | 1197 mm |



## Alternative products



**FAB28RPK6**

**Hinge position:** Right  
Pink



**FAB28RDGC6**

**Hinge position:** Right  
Decorated / Special



**FAB28RDRU6**

**Hinge position:** Right  
Rust



**FAB28RDTP6**

**Hinge position:** Right  
Taupe



**FAB28RDEG6**

**Hinge position:** Right  
Emerald Green



**FAB28RDMC6**

**Hinge position:** Right  
Decorated / Special



**FAB28RWH6**

**Hinge position:** Right  
White



**FAB28RCR6**

**Hinge position:** Right  
Cream



**FAB28RDBB6**

**Hinge position:** Right  
Decorated / Special



**FAB28RDPP6**

**Hinge position:** Right  
Perfectly Pale



**FAB28RYW6**

**Hinge position:** Right  
Yellow



**FAB28ROR6**

**Hinge position:** Right  
Orange



**FAB28RBE6**

**Hinge position:** Right  
Blue



**FAB28RDBLM6**

**Hinge position:** Right  
Black



**FAB28RDSB6**

**Hinge position:** Right  
Storm Blue



**FAB28RDIT6**

**Hinge position:** Right  
Decorated / Special



**FAB28RRD6**

**Hinge position:** Right  
**Red**



**FAB28RDGME6**

**Hinge position:** Right  
**Decorated / Special**



**FAB28RDUJ6**

**Hinge position:** Right  
**Decorated / Special**



**FAB28RBL6**

**Hinge position:** Right  
**Black**



**FAB28RDSA6**

**Hinge position:** Right  
**Sea Salt Green**



**FAB28RSV6**

**Hinge position:** Right  
**Silver**



**FAB28RPG6**

**Hinge position:** Right  
**Pastel green**



**FAB28RLI6**

**Hinge position:** Right  
**Lime green**



**FAB28RPB6**

**Hinge position:** Right  
**Pastel blue**

## Symbols glossary

- |  |  |   |   |
|--|--|---|---|
|  | 4 stars freezing compartment for better food preservation.   |  | The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether. |
|  | Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.               |  | LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.           |
|  | Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption. |  | Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet.   |
|  | Energy efficiency class C  |   |   |