

# FAB28RLI5





Product Family Refrigerator
Installation Free Standing
Category One Door
Reference width Until 60
Reference height 100 - 160

Cooling type Fan assisted refrigerator, static

freezer

**Defrost** Automatic for refrigerator, manual for

freezer

Hinge type Standard Hinge position Right

**EAN code** 8017709299255



# **Aesthetics**

**Aesthetics** 50's Style Logo colour Colour Lime green Side material **Finishing** Gloss Side colour Design Rounded Logo Material Heat-moulded Door shelves profile colour Handle External Drawers profile colour Handle type Fixed

Colour of glass shelf profile

Steel Lime green Applied Chrome

Chrome

Chrome Chrome

# Refrigerator compartment features

Chrome





Handle colour

Number of compartments

Compartment types

No. of adjustable

shelves Number of fruit and vegetables drawers

Type of adjustable

shelves

Type of crisper/vegetable drawers cover

2

Low temperature compartment, Fruit and vegetable compartment

2

Glass

1

On sliding rails

Crisper Cover

Type of crisper/vegetable drawers cover Life Plus zone-0°C Internal light in fridge

Type of internal light (fridge)

Yes Glass

Yes Yes

LED



# **Refrigerator Inner Door**

No. of door shelves with 1

transparent cover

Number of adjustable

door shelves

Adjustable door shelves Yes

with wire support

No. of bottle shelves Bottle shelves with wire Yes support

# Other Refrigerator features





MultiFlow

Yes

Fan

Yes

# Freezer compartment features

Internal freezer compartment

Yes

# Other technical features



Door open alarm

Type of temperature control

No. of compressors

Refrigerant gas type Type of compressor

Refrigerant Quantity (gr)

Foam agent

Acoustic and visual

Electronic

1

R600a

Variable Speed Compressor

32 g

Cyclopentane

Noise level

Thaw time

# Performance / Energy Label



Annual energy

consumption

**Energy efficiency class** Airborne acoustical noise emission class

Total volume 270 I Sum of the volumes of 26 I

the frozen compartment(s)

Sum of the volumes of 244 I

the chill compartment(s) and the unfrozen compartment(s)

130 KWh/year

D

В

4 star - Freezing capacity

Climatic class EEI

35 dB(A) re 1 pW

9 h

2.6 Kg/24h


SN, N, ST, T 79 %




# **Electrical Connection**

Plug Nominal power Current (F;E) Schuko 90 W 1 A

Voltage (V) Frequency (Hz) Power supply cable length 220-240 V 50/60 Hz 180 cm







# Alternative products



#### FAB28RDTP5

Hinge position: Right

Taupe



### FAB28RDRB5

Hinge position: Right

Ruby Red



#### FAB28RDPP5

Hinge position: Right

Perfectly Pale



#### FAB28RRD5

Hinge position: Right

Red



#### FAB28RPG5

Hinge position: Right

Pastel Green



# FAB28RBE5

Hinge position: Right

Blue



#### FAB28RDBLV5

Hinge position: Right Decorated / Special



#### FAB28RDIT5

Hinge position: Right Decorated / Special



#### FAB28RCR5

Hinge position: Right

Cream



#### FAB28RPB5

Hinge position: Right

Pastel Blue



#### FAB28RYW5

Hinge position: Right

Yellow



# FAB28RDUJ5

Hinge position: Right

Decorated / Special



#### FAB28RDSA5

Hinge position: Right

Sea Salt Green



#### FAB28RDMC5

Hinge position: Right

Decorated / Special



#### FAB28RDBLM5

Hinge position: Right

Matte Black



### FAB28RDLB5

Hinge position: Right

Light Blue





# FAB28RDBB5

Hinge position: Right Decorated / Special



# FAB28RWH5

Hinge position: Right White



# FAB28RBL5

Hinge position: Right Black



# FAB28RPK5

Hinge position: Right

Pink



# FAB28ROR5

Hinge position: Right Orange



# FAB28RDRU5

Hinge position: Right

Rust



# FAB28RDEG5

Hinge position: Right

Emerald Green



# FAB28RSV5

Hinge position: Right

Silver



# Symbols glossary



4 stars freezing compartment for better food preservation.



A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Life Plus 0°C: The temperature in the Lifeplus compartments is kept at 0°C, which preserves fresh meat and fish longer.



Inverter technology: The evolution of Smeg's driers towards more intelligent and environmentally sustainable models has led to the choice of using Inverter technology with heat pumps, which reduces significantly energy consumption.



Air plus: keeps food fresher for longer.

Energy efficiency class D



# **Benefit**

### Plastic multiflow system

The Multiflow system ensures even distribution of cold air inside the refrigerator

#### Fan

The fan contributes to an even distribution of air inside the refrigerator

#### Refrigerant gas R600a

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

#### Climate class

Climatic class SN-T makes the appliance suitable for working at room temperature between 10 °C and 43 °C (50 °F  $\sim$  109 °F)

#### External handle

The external handle ensures practicality and ease of use of the refrigerator

#### Life Plus 0°

Temperature-controlled Life Plus compartment for optimal storage of specific food categories

#### Refrigerator Internal lighting

Interior lighting for perfect visibility of shelves in the refrigerator compartment

### Fruit and vegetable drawer

The fruit and vegetable drawer ensures the best storage conditions for fresh food, avoiding any contamination

#### Inverter compressor

Inverter compressor reduces noise and vibration levels for a quiet and comfortable kitchen environment

Inverter compressor technology offers significant advantages for refrigeration systems, improving both performance and efficiency. Better temperature control ensures a more stable and constant indoor environment, preserving the freshness of food. This technology also results in reduced energy consumption, as the compressor adjusts its speed according to cooling needs.