

FAB28RPG6



| | |
|------------------|--|
| Product Family | Refrigerator |
| Installation | Free standing |
| Category | One Door |
| Reference width | Until 60 cm |
| Reference height | 100 - 160 cm |
| Cooling type | Fan assisted refrigerator, static freezer |
| Defrost | Automatic for refrigerator, manual for freezer |
| Hinge type | Standard |
| Hinge position | Right |
| EAN code | 8017709343040 |



Aesthetics

| | | | |
|---------------|--------------|------------------------------|--------------|
| Aesthetic | 50's Style | Logo colour | Chrome |
| Colour | Pastel green | Side material | Steel |
| Design | Rounded | Side colour | Pastel green |
| Finishing | Glossy | Logo | Applied |
| Material | Heat-moulded | Door shelves profile color | Chrome |
| Handle | External | Drawers profile color | Chrome |
| Handle type | Fixed | Color of glass shelf profile | Chrome |
| Handle colour | Chrome | | |

Refrigerator compartment features



| | | | |
|---|--|---|-------|
| Number of compartments | 2 | Crisper Cover | Yes |
| Compartment types | Low temperature compartment, Fruit and vegetable compartment | Type of crisper/vegetable drawers cover | Glass |
| No. of adjustable shelves | 2 | No. of lights refrigerator compartment | 2 |
| Number of fruit and vegetables drawers | 1 | Low temperature compartment | Yes |
| Shelves material | Glass | Internal light in fridge | Yes |
| Type of crisper/vegetable drawers cover | On sliding rails | Type of internal light (fridge) | LED |

Refrigerator Inner Door

| | | | |
|--|-----|----------------------------------|-----|
| No. of door shelves with transparent cover | 1 | No. of bottle shelves | 1 |
| Number of adjustable door shelves | 1 | Bottle shelves with wire support | Yes |
| Adjustable door shelves with wire support | Yes | | |

Other Refrigerator features



| | | | |
|------------------|-----|-----|-----|
| Humidity Control | Yes | Fan | Yes |
| MultiFlow | Yes | | |

Freezer compartment features

| | |
|------------------------------|-----|
| Internal freezer compartment | Yes |
|------------------------------|-----|

Other technical features



| | |
|-----------------------------|---------------------|
| Door open alarm | Acoustic and visual |
| Type of temperature control | Electronic |
| No. of compressors | 1 |
| Refrigerant gas type | R600a |
| Type of compressor | Inverter |
| Refrigerant Quantity (gr) | 35 g |
| Foam agent | Cyclopentane |

Performance / Energy Label - Reg. 2019



| | | | |
|--|-----------|-------------------------------------|------------------|
| Annual energy consumption | 104 kWh/a | Airborne acoustical noise emissions | 35 dB(A) re 1 pW |
| Energy efficiency class | C | Temperature Rise Time | 9 h |
| Airborne acoustical noise emission class | B | 4 star - Freezing capacity | 5 kg/24h |
| Total net volume | 270 l | Climate class | SN, N, ST, T |
| Sum of the volumes of the frozen compartment(s) | 26 l | EEl | 64 % |
| Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) | 244 l | | |

Electrical Connection

| | | | |
|------------------------------|-----------|---------------------------|--------------|
| Electrical connection rating | 90 W | Frequency (Hz) | 50/60 Hz |
| Current | 1 A | Power supply cable length | 180 cm |
| Voltage (V) | 220-240 V | Plug | (F;E) Schuko |

Logistic Information

| | | | |
|----------------------|---------|--|---------|
| Width | 601 mm | Product width with maximum doors opening | 926 mm |
| Depth without handle | 728 mm | Product depth with handle | 768 mm |
| Height | 1530 mm | Product depth with doors open at 90° | 1197 mm |



Alternative products



FAB28RPK6

Hinge position: Right
Pink



FAB28RDGC6

Hinge position: Right
Decorated / Special



FAB28REGM6

Hinge position: Right
Emerald Green



FAB28RYW6

Hinge position: Right
Yellow



FAB28ROR6

Hinge position: Right
Orange



FAB28RBE6

Hinge position: Right
Blue



FAB28RDBLM6

Hinge position: Right
Black



FAB28RDSB6

Hinge position: Right
Storm Blue



FAB28RDBB6

Hinge position: Right
Decorated / Special



FAB28RDPP6

Hinge position: Right
Perfectly Pale



FAB28RDRU6

Hinge position: Right
Rust



FAB28RDTP6

Hinge position: Right
Taupe



FAB28RDEG6

Hinge position: Right
Emerald Green



FAB28RDMC6

Hinge position: Right
Decorated / Special



FAB28RWH6

Hinge position: Right
White



FAB28RCR6

Hinge position: Right
Cream



FAB28RDIT6

Hinge position: Right
Decorated / Special



FAB28RWHM6

Hinge position: Right
Matt White



FAB28RSV6

Hinge position: Right
Silver



FAB28RSBM6

Hinge position: Right
Storm Blue



FAB28RDRB6

Hinge position: Right
Ruby Red



FAB28RBLM6

Hinge position: Right
Black



FAB28RBL6

Hinge position: Right
Black



FAB28RDSA6

Hinge position: Right
Sea Salt Green



FAB28RACM6

Hinge position: Right
Amber Clay



FAB28RRD6

Hinge position: Right
Red



FAB28RDGME6

Hinge position: Right
Decorated / Special



FAB28RDUJ6

Hinge position: Right
Decorated / Special

FAB28R-DG

Hinge position: Right
Decorated / Special



FAB28RLI6

Hinge position: Right
Lime green



FAB28RPB6

Hinge position: Right
Pastel blue



FAB28RMLM6

Hinge position: Right
Moonlight

Symbols glossary

- | | | | |
|--|--|---|---|
|  | 4 stars freezing compartment for better food preservation. |  | The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether. |
|  | Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge. |  | LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance. |
|  | Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption. |  | Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet. |
|  | Energy efficiency class C | | |