# FAB28RPG6




| | |
|---|---|
| **Product Family** | Refrigerator |
| **Installation** | Free standing |
| **Category** | One Door |
| **Reference width** | Until 60 cm |
| **Reference height** | 100 - 160 cm |
| **Cooling type** | Fan assisted refrigerator, static freezer |
| **Defrost** | Automatic for refrigerator, manual for freezer |
| **Hinge type** | Standard |
| **Hinge position** | Right |
| **EAN code** | 8017709343040 |

## Aesthetics

| | | | |
|---|---|---|---|
| **Aesthetic** | 50's Style | **Logo colour** | Chrome |
| **Colour** | Pastel green | **Side material** | Steel |
| **Design** | Rounded | **Side colour** | Pastel green |
| **Finishing** | Glossy | **Logo** | Applied |
| **Material** | Heat-moulded | **Door shelves profile color** | Chrome |
| **Handle** | External | | |
| **Handle type** | Fixed | **Drawers profile color** | Chrome |
| **Handle colour** | Chrome | **Color of glass shelf profile** | Chrome |

## Refrigerator compartment features

| | | | |
|---|---|---|---|
| **Number of compartments** | 2 | **Crisper Cover** | Yes |
| **Compartment types** | Low temperature compartment, Fruit and vegetable compartment | **Type of crisper/vegetable drawers cover** | Glass |
| **No. of adjustable shelves** | 2 | **No. of lights refrigerator compartment** | 2 |
| **Number of fruit and vegetables drawers** | 1 | **Low temperature compartment** | Yes |
| **Shelves material** | Glass | **Internal light in fridge** | Yes |
| **Type of crisper/vegetable drawers cover** | On sliding rails | **Type of internal light (fridge)** | LED |

## Refrigerator Inner Door

| | | | |
|---|---|---|---|
| **No. of door shelves with transparent cover** | 1 | **No. of bottle shelves** | 1 |
| **Number of adjustable door shelves** | 1 | **Bottle shelves with wire support** | Yes |
| **Adjustable door shelves with wire support** | Yes | | |

## Other Refrigerator features



| | | | |
|---|---|---|---|
| **Humidity Control** | Yes, manual | **Fan** | Yes |
| **MultiFlow** | Yes | | |

## Freezer compartment features

| | |
|---|---|
| **Internal freezer compartment** | Yes |

## Other technical features



| | |
|---|---|
| **Door open alarm** | Acoustic and visual |
| **Type of temperature control** | Electronic |
| **No. of compressors** | 1 |
| **Refrigerant gas type** | R600a |
| **Type of compressor** | Inverter |
| **Refrigerant Quantity (g)** | 35 g |
| **Foam agent** | Cyclopentane |

## Performance / Energy Label - Reg. 2019




| | | | |
|---|---|---|---|
| **Annual energy consumption** | 104 kWh/a | **Airborne acoustical noise emissions** | 35 dB(A) re 1 pW |
| **Energy efficiency class** | C | **Temperature Rise Time** | 9 h |
| **Airborne acoustical noise emission class** | B | **4 star - Freezing capacity** | 5 kg/24h |
| **Total net volume** | 270 l | **Climate class** | SN, N, ST, T |
| **Sum of the volumes of the frozen compartment(s)** | 26 l | **EEI** | 64 % |
| **Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)** | 244 l | | |

## Electrical Connection

| | | | |
|---|---|---|---|
| **Electrical connection rating** | 90 W | **Frequency (Hz)** | 50/60 Hz |
| **Current** | 1 A | **Power supply cable length** | 180 cm |
| **Voltage (V)** | 220-240 V | **Plug** | (F;E) Schuko |

## Logistic Information

| | | | |
|---|---|---|---|
| **Width** | 601 mm | **Product width with maximum doors opening** | 926 mm |
| **Depth without handle** | 728 mm | **Product depth with handle** | 768 mm |
| **Height** | 1530 mm | **Product depth with doors open at 90°** | 1197 mm |



## Alternative products



**FAB28RPK6**

**Hinge position:** Right
Pink




**FAB28RDBB6**

**Hinge position:** Right
Decorated / Special



**FAB28RDGC6**

**Hinge position:** Right
Decorated / Special



**FAB28RDPP6**

**Hinge position:** Right
Perfectly Pale



**FAB28REGM6**

**Hinge position:** Right
Emerald Green



**FAB28RDRU6**

**Hinge position:** Right
Rust



**FAB28RYW6**

**Hinge position:** Right
Yellow



**FAB28RDTP6**

**Hinge position:** Right
Taupe



**FAB28ROR6**

**Hinge position:** Right
Orange



**FAB28RDEG6**

**Hinge position:** Right
Emerald Green



**FAB28RBE6**

**Hinge position:** Right
Blue



**FAB28RDMC6**

**Hinge position:** Right
Decorated / Special



**FAB28RDBLM6**

**Hinge position:** Right
Black



**FAB28RWH6**

**Hinge position:** Right
White



**FAB28RDSB6**

**Hinge position:** Right
Storm Blue



**FAB28RCR6**

**Hinge position:** Right
Cream



**FAB28RDIT6**

**Hinge position:** Right
Decorated / Special



**FAB28RWHM6**

**Hinge position:** Right
Matt White



**FAB28RSV6**

**Hinge position:** Right
Silver



**FAB28RSBM6**

**Hinge position:** Right
Storm Blue



**FAB28RDRB6**

**Hinge position:** Right
Ruby Red



**FAB28RBLM6**

**Hinge position:** Right
Black



**FAB28RBL6**

**Hinge position:** Right
Black



**FAB28RDSA6**

**Hinge position:** Right
Sea Salt Green



**FAB28RACM6**

**Hinge position:** Right
Amber Clay



**FAB28RRD6**

**Hinge position:** Right
Red



**FAB28RDGME6**

**Hinge position:** Right
Decorated / Special



**FAB28RDUJ6**

**Hinge position:** Right
Decorated / Special

**FAB28R-DG**

**Hinge position:** Right
Decorated / Special



**FAB28RLI6**

**Hinge position:** Right
Lime green



**FAB28RPB6**

**Hinge position:** Right
Pastel blue



**FAB28RMLM6**

**Hinge position:** Right
Moonlight

## Symbols glossary



4 stars freezing compartment for better food preservation.



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption.



Energy efficiency class C



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.




LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet.