

FAB28RPK3UK



| | |
|------------------|--|
| Product Family | Refrigerator |
| Installation | Free standing |
| Category | One Door |
| Reference width | Until 60 cm |
| Reference height | 100 - 160 cm |
| Cooling type | Fan assisted |
| Defrost | Automatic for refrigerator, manual for freezer |
| Hinge type | Standard |
| Hinge position | Right |
| EAN code | 8017709260910 |



Aesthetics

| | | | |
|---------------|--------------|-------------------------------|--|
| Aesthetic | 50's Style | Side material | Steel |
| Colour | Pink | Side colour | Pink |
| Design | Rounded | Logo | Applied |
| Finishing | Glossy | Door shelves profile color | Chrome |
| Material | Heat-moulded | Drawers profile color | Chrome |
| Handle | External | Color of glass shelf profile | Chrome |
| Handle type | Fixed | Display position | |
| Handle colour | Chrome | Alternative colours available | Pastel blue, White, Black, Cream, Red, Silver, Pastel green, Decorated / Special |
| Logo colour | Chrome | | |

Refrigerator compartment features



| | | | |
|---|------------------|---|------------|
| No. of adjustable shelves | 2 | Type of crisper/vegetable drawers cover | Glass |
| Number of fruit and vegetables drawers | 1 | Life Plus zone-0°C | -2°C +3 °C |
| Shelves material | Glass | Internal light in fridge | Yes |
| Type of crisper/vegetable drawers cover | On sliding rails | Type of internal light (fridge) | LED |
| Crisper Cover | Yes | | |

Refrigerator Inner Door

| | | | |
|---|-----|---|-----|
| No. of door shelves with transparent cover | 1 | No. of bottle shelves | 1 |
| Number of adjustable door shelves | 1 | Bottle shelves with wire support | Yes |
| Adjustable door shelves with wire support | Yes | | |

Other Refrigerator features



| | | | |
|------------------|-----|------------|-----|
| MultiFlow | Yes | Fan | Yes |
|------------------|-----|------------|-----|

Freezer compartment features


| | |
|-------------------------------------|-----|
| Internal freezer compartment | Yes |
|-------------------------------------|-----|

Other technical features



| | |
|------------------------------------|---------------------|
| Door open alarm | Acoustic and visual |
| Antibacterial Gasket | Yes |
| Type of temperature control | Electronic |
| No. of compressors | 1 |
| Refrigerant gas type | R600a |
| Type of compressor | Inverter |
| Refrigerant Quantity (g) | 34 g |
| Foam agent | Cyclopentane |

Performance / Energy Label - Reg. 2019


| | | | |
|---|-----------|--|------------------|
|  | | | |
| Annual energy consumption | 245 kWh/a | Airborne acoustical noise emissions | 38 dB(A) re 1 pW |
| Energy efficiency class | G | Temperature Rise Time | 9,9 h |
| Airborne acoustical noise emission class | C | 4 star - Freezing capacity | 2,6 kg/24h |
| Total net volume | 270 l | Climate class | SN, N, ST, T |
| Sum of the volumes of the frozen compartment(s) | 26 l | EEL | 150 % |
| Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) | 244 l | | |

Electrical Connection











| | | | |
|------------------------------|-----------|---------------------------|--------------------|
| Electrical connection rating | 90 W | Frequency (Hz) | 50/60 Hz |
| Current | 1 A | Power supply cable length | 180 cm |
| Voltage (V) | 220-240 V | Plug | (G) UK e Singapore |

Logistic Information

| | | | |
|----------------------|---------|--|---------|
| Width | 601 mm | Product width with maximum doors opening | 926 mm |
| Depth without handle | 728 mm | Product depth with handle | 732 mm |
| Height | 1530 mm | Product depth with doors open at 90° | 1148 mm |



Symbols glossary

| | | | |
|--|--|---|--|
|  | 4 stars freezing compartment for better food preservation. |  | The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether. |
|  | Antibacterial treatment: antibacterial treatment to ensure better hygiene. |  | A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating. |
|  | Energy efficiency class G |  | Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge. |
|  | LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance. |  | Life Plus 0°C: The temperature in the Lifeplus compartments is kept at 0°C, which preserves fresh meat and fish longer. |
|  | Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption. |  | Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet. |