

FAB28RPK5UK



Product Family	Refrigerator
Installation	Free Standing
Category	One Door
Reference width	Until 60 cm
Reference height	100 - 160 cm
Cooling type	Fan assisted refrigerator, static freezer
Defrost	Automatic for refrigerator, manual for freezer
Hinge type	Standard
Hinge position	Right
EAN code	8017709341435



Aesthetics

Aesthetics	50's Style	Logo colour	Chrome
Colour	Pink	Side material	Steel
Design	Rounded	Side colour	Pink
Finishing	Gloss	Logo	Applied
Material	Heat-moulded	Door shelves profile colour	Chrome
Handle	External	Drawers profile colour	Chrome
Handle type	Fixed	Colour of glass shelf profile	Chrome
Handle colour	Chrome		

Refrigerator compartment features



Number of compartments	2	Crisper Cover	Yes
Compartment types	Low temperature compartment, Fruit and vegetable compartment	Type of crisper/vegetable drawers cover	Glass
No. of adjustable shelves	2	No. of lights	2
Number of fruit and vegetables drawers	1	Low temperature compartment	Yes
Type of adjustable shelves	Glass	Internal light in fridge	Yes
Type of crisper/vegetable drawers cover	On sliding rails	Type of internal light (fridge)	LED

Refrigerator Inner Door

No. of door shelves with transparent cover	1	No. of bottle shelves	1
Number of adjustable door shelves	1	Bottle shelves with wire support	Yes
Adjustable door shelves with wire support	Yes		


Other Refrigerator features

			
MultiFlow	Yes	Fan	Yes


Freezer compartment features

Internal freezer compartment	Yes
------------------------------	-----

Other technical features

	
Door open alarm	Acoustic and visual
Type of temperature control	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Variable Speed Compressor
Refrigerant Quantity (g)	32 g
Foam agent	Cyclopentane

Performance / Energy Label


			
Annual energy consumption	130 kWh/year	Noise level	35 dB(A) re 1 pW
Energy efficiency class	D	Gross volume frozen food compartment	26 l
Airborne acoustical noise emission class	B	Thaw time	9 h
Total volume	270 l	4 star - Freezing capacity	2,6 kg/24h
Sum of the volumes of the frozen compartment(s)	26 l	Climatic class	SN, N, ST, T
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	244 l	EEL	79 %

Electrical Connection

Nominal power	90 W	Frequency (Hz)	50/60 Hz
Current	1 A	Power supply cable length	180 cm
Voltage (V)	220-240 V	Plug	(F;E) Schuko

Logistic Information

Width (mm)	601 mm	Product width with maximum doors opening	926 mm
Depth without handle	728 mm	Product depth with handle	768 mm
Product Height with feet	1530 mm	Product depth with doors open at 90°	1197 mm



Alternative products



FAB28RBL5UK

Hinge position: Right
Black



FAB28RYW5UK

Hinge position: Right
Yellow



FAB28RWH5UK

Hinge position: Right
White



FAB28RCR5UK

Hinge position: Right
Cream



FAB28RPG5UK

Hinge position: Right
Pastel Green



FAB28ROR5UK

Hinge position: Right
Orange



FAB28RPB5UK

Hinge position: Right
Pastel Blue



FAB28RSV5UK









Hinge position: Right
Silver



FAB28RRD5UK

Hinge position: Right
Red

Symbols glossary

	4 stars freezing compartment for better food preservation.		The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.
	A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.		Energy efficiency class D
	Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.		LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.
	Inverter technology: The evolution of Smeg's driers towards more intelligent and environmentally sustainable models has led to the choice of using Inverter technology with heat pumps, which reduces significantly energy consumption.		Air plus: keeps food fresher for longer.