

# FAB28RRD3UK



<b>Product Family</b>	Refrigerator
<b>Installation</b>	Free standing
<b>Category</b>	One Door
<b>Cooling type</b>	Fan assisted
<b>Defrost</b>	Automatic for refrigerator, manual for freezer
<b>Hinge type</b>	Standard
<b>Hinge position</b>	Right
<b>EAN code</b>	8017709260934



## Aesthetics

<b>Aesthetic</b>	50's Style	<b>Side material</b>	Steel
<b>Colour</b>	Red	<b>Side colour</b>	Red
<b>Design</b>	Rounded	<b>Logo</b>	Applied
<b>Finishing</b>	Glossy	<b>Door shelves profile color</b>	Chrome
<b>Material</b>	Heat-moulded	<b>Drawers profile color</b>	Chrome
<b>Handle</b>	External	<b>Color of glass shelf profile</b>	Chrome
<b>Handle type</b>	Fixed	<b>Display position</b>	
<b>Handle colour</b>	Chrome	<b>Alternative colours available</b>	Pastel blue, White, Black, Cream, Pink, Silver, Pastel green, Decorated / Special
<b>Logo colour</b>	Chrome		

## Refrigerator compartment features



<b>No. of adjustable shelves</b>	3	<b>Type of crisper/vegetable drawers cover</b>	Glass
<b>Number of fruit and vegetables drawers</b>	1	<b>Life Plus zone-0°C</b>	-2°C +3 °C
<b>Shelves material</b>	Glass	<b>Internal light in fridge</b>	Yes
<b>Type of crisper/vegetable drawers cover</b>	On sliding rails	<b>Type of internal light (fridge)</b>	LED
<b>Crisper Cover</b>	Yes		

## Refrigerator Inner Door

No. of door shelves with transparent cover	1	No. of bottle shelves	1
Number of adjustable door shelves	1	Bottle shelves with wire support	Yes
Adjustable door shelves with wire support	Yes		

## Other Refrigerator features



MultiFlow	Yes	Fan	Yes
-----------	-----	-----	-----

## Other technical features



Door open alarm	Acoustic and visual
Type of temperature control	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Inverter
Refrigerant Quantity (g)	34 g
Foam agent	Cyclopentane

## Performance / Energy Label - Reg. 2019



Annual energy consumption	245 kWh/a	Airborne acoustical noise emissions	38 dB(A) re 1 pW
Energy efficiency class	G	Temperature Rise Time	9.9 h
Airborne acoustical noise emission class	C	4 star - Freezing capacity	2.6 kg/24h
Total net volume	270 l	Climate class	SN, N, ST, T
Sum of the volumes of the frozen compartment(s)	26 l	EI	150 %
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	244 l		


## Electrical Connection

Electrical connection rating	90 W	Frequency (Hz)	50/60 Hz
Current	1 A	Power supply cable length	180 cm
Voltage (V)	220-240 V	Plug	(G) UK e Singapore










## Logistic Information

**Width** 601 mm  
**Depth without handle** 728 mm  
**Height** 1530 mm

**Product width with maximum doors opening** 926 mm  
**Product depth with handle** 732 mm  
**Product depth with doors open at 90°** 1148 mm



## Symbols glossary

- |  |  |   |  |
|--|--|---|--|
|  | 4 stars freezing compartment for better food preservation.   |  | The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.                          |
|  | A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.                        |  | Energy efficiency class G  |
|  | Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge. |  | LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.                                    |
|  | Life Plus 0°C: The temperature in the Lifepus compartments is kept at 0°C, which preserves fresh meat and fish longer.                     |  | Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption. |
|  | Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet.              |   |  |