FAB28RSBM6



Product Family	Refrigerator
Installation	Free standing
Category	One Door
Reference width	Until 60 cm
Reference height	100 - 160 cm
Cooling type	Fan assisted refrigerator, static freezer
Defrost	Automatic for refrigerator, manual for freezer
Hinge type	Standard
Hinge position	Right
EAN code	8017709363277

Aesthetics

Aesthetic	50's Style	**Logo colour**	Chrome
Colour	Storm Blue	**Side material**	Steel
Design	Rounded	**Side colour**	Decorated / Special
Finishing	Matt	**Logo**	Applied
Material	Heat-moulded	**Door shelves profile color**	Chrome
Handle	External		
Handle type	Fixed	**Drawers profile color**	Chrome
Handle colour	Chrome	**Color of glass shelf profile**	Chrome

Refrigerator compartment features

Number of compartments	2	**Crisper Cover**	Yes
Compartment types	Low temperature compartment, Fruit and vegetable compartment	**Type of crisper/vegetable drawers cover**	Glass
No. of adjustable shelves	2	**No. of lights refrigerator compartment**	2
Number of fruit and vegetables drawers	1	**Low temperature compartment**	Yes
Shelves material	Glass	**Internal light in fridge**	Yes
Type of crisper/vegetable drawers cover	On sliding rails	**Type of internal light (fridge)**	LED

Refrigerator Inner Door

No. of door shelves with transparent cover	1	**No. of bottle shelves**	1
Number of adjustable door shelves	1	**Bottle shelves with wire support**	Yes
Adjustable door shelves with wire support	Yes		

Other Refrigerator features



Humidity Control	Yes, manual	**Fan**	Yes
MultiFlow	Yes		

Freezer compartment features

Internal freezer compartment	Yes

Other technical features



Door open alarm	Acoustic and visual
Type of temperature control	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Inverter
Refrigerant Quantity (g)	35 g
Foam agent	Cyclopentane

Performance / Energy Label - Reg. 2019




Annual energy consumption	104 kWh/a	**Airborne acoustical noise emissions**	35 dB(A) re 1 pW
Energy efficiency class	C	**Temperature Rise Time**	9 h
Airborne acoustical noise emission class	B	**4 star - Freezing capacity**	5 kg/24h
Total net volume	270 l	**Climate class**	SN, N, ST, T
Sum of the volumes of the frozen compartment(s)	26 l	**EEI**	64 %
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	244 l		

Electrical Connection

Electrical connection rating	90 W	**Frequency (Hz)**	50/60 Hz
Current	1 A	**Power supply cable length**	180 cm
Voltage (V)	220-240 V	**Plug**	(F;E) Schuko

Logistic Information

Width	601 mm	**Product width with maximum doors opening**	926 mm
Depth without handle	728 mm	**Product depth with handle**	768 mm
Height	1530 mm	**Product depth with doors open at 90°**	1197 mm



Alternative products



FAB28RPK6

Hinge position: Right
Pink



FAB28RDBB6

Hinge position: Right
Decorated / Special



FAB28RDGC6

Hinge position: Right
Decorated / Special



FAB28REGM6

Hinge position: Right
Emerald Green



FAB28RYW6

Hinge position: Right
Yellow



FAB28ROR6

Hinge position: Right
Orange



FAB28RBE6

Hinge position: Right
Blue



FAB28RDMC6

Hinge position: Right
Decorated / Special



FAB28RWH6

Hinge position: Right
White



FAB28RCR6

Hinge position: Right
Cream



FAB28RDIT6

Hinge position: Right
Decorated / Special



FAB28RACM6

Hinge position: Right
Amber Clay



FAB28RWHM6

Hinge position: Right
Matt White



FAB28RRD6

Hinge position: Right
Red



FAB28RSV6

Hinge position: Right
Silver



FAB28RDGME6

Hinge position: Right
Decorated / Special



FAB28RPG6

Hinge position: Right
Pastel Green



FAB28RDUJ6

Hinge position: Right
Decorated / Special

FAB28R-DG

Hinge position: Right
Decorated / Special



FAB28RBLM6

Hinge position: Right
Black



FAB28RLI6

Hinge position: Right
Lime Green



FAB28RBL6

Hinge position: Right
Black



FAB28RPB6

Hinge position: Right
Pastel blue



FAB28RMLM6

Hinge position: Right
Moonlight

Symbols glossary



4 stars freezing compartment for better food preservation.



Energy efficiency class C



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet.



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption.