

FAB28ULBL3



| | |
|----------------|--|
| Product Family | Refrigerator |
| Installation | Free standing |
| Category | One Door |
| Defrost | Automatic for refrigerator, manual for freezer |
| Hinge position | Left |
| EAN code | 8017709271725 |



Aesthetics

| | | | |
|---------------|------------|------------------------------|---------|
| Aesthetic | 50's Style | Logo | Applied |
| Colour | Black | Door shelves profile color | Chrome |
| Finishing | Glossy | Drawers profile color | Chrome |
| Side material | Steel | Color of glass shelf profile | Chrome |
| Side colour | Black | Display position | |

Refrigerator compartment features



| | | | |
|---|------------------|---|-------|
| No. of adjustable shelves | 3 | Bottle shelf | Yes |
| Number of fruit and vegetables drawers | 1 | Type of crisper/vegetable drawers cover | Glass |
| Type of adjustable shelves | Glass | Internal light in fridge | Yes |
| Type of crisper/vegetable drawers cover | On sliding rails | Type of internal light (fridge) | LED |
| Crisper Cover | Yes | | |

Refrigerator Inner Door

| | | | |
|--|---|----------------------------------|-----|
| No. of door shelves with transparent cover | 2 | No. of bottle shelves | 1 |
| Number of adjustable door shelves | 2 | Bottle shelves with wire support | Yes |

Adjustable door shelves Yes
with wire support

Freezer compartment features

Internal freezer compartment Yes

Other technical features




| | |
|-----------------------------|---------------------|
| Door open alarm | Acoustic and visual |
| Type of temperature control | Electronic |
| No. of compressors | 1 |
| Refrigerant gas type | R600a |
| Type of compressor | Inverter |
| Foam agent | Cyclopentane |

Performance / Energy Label - Reg. 2019

| | | | |
|---|--------------|--|--------------|
| Annual energy consumption | 230 kWh/year | Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) | 0.00 cu. ft. |
| Total net volume | 0.00 cu. ft. | Total gross volume | 0.00 cu. ft. |
| Sum of the volumes of the frozen compartment(s) | 0.00 cu. ft. | | |

Electrical Connection

| | | | |
|------------------------------|-------------------|---------------------------|----------|
| Plug | (A) USA e Messico | Voltage (V) | 120 V |
| Electrical connection rating | 125 W | Frequency (Hz) | 50/60 Hz |
| Current | 2,2 A | Power supply cable length | 70 7/8 " |



Symbols glossary



4 stars freezing compartment for better food preservation.



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption.

Benefit (TT)

Refrigerant gas R600a

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

Climate class

Climatic class SN-T makes the appliance suitable for working at room temperature between 10 °C and 43 °C (50 °F ~ 109 °F)

External handle

The external handle ensures practicality and ease of use of the refrigerator

Refrigerator Internal lighting

Interior lighting for perfect visibility of shelves in the refrigerator compartment

Fruit and vegetable drawer

The fruit and vegetable drawer ensures the best storage conditions for fresh food, avoiding any contamination

Inverter compressor

Inverter compressor reduces noise and vibration levels for a quiet and comfortable kitchen environment

Inverter compressor technology offers significant advantages for refrigeration systems, improving both performance and efficiency. Better temperature control ensures a more stable and constant indoor environment, preserving the freshness of food. This technology also results in reduced energy consumption, as the compressor adjusts its speed according to cooling needs.