

FAB28ULBL3



Product family

Installation

Category

Defrost

Hinge position

EAN code

Refrigerator

Free-standing

Single door

Automatic for refrigerator, manual for freezer

Left



8017709271725



Aesthetic

| | | | |
|---------------|-------------|---------------------------|---------|
| Aesthetics | Retro-style | Logo | Applied |
| Color | Black | Door shelf profile color | Chromed |
| Finishing | Glossy | Drawers profile color | Chromed |
| Side material | Steel | Glass shelf profile color | Chromed |
| Side color | Black | | |

Refrigerator compartment features



| | | | |
|--|-----------------|-----------------------|-------------|
| No. of adjustable shelves | 3 | Bottle shelf | Yes |
| Number of fruit and vegetables drawers | 1 | Type of crisper cover | Glass |
| Type of adjustable shelves | Glass | LifePlus zone - 32°F | 28° to 37°F |
| Crisper drawer type | Sliding crisper | Refrigerator lighting | Yes |
| Crisper cover | Yes | Refrigerator lighting | LED |

Refrigerator Inner Door

| | | | |
|--|-----|----------------------------|-----|
| No. of door shelves with transparent cover | 2 | No. of bottle shelves | 1 |
| Number of adjustable door shelves | 2 | Door bin with wire support | Yes |
| Adjustable door bins with wire support | Yes | | |

Freezer features

Internal freezer compartment Yes

Other technical features




| | |
|--------------------------|---------------------|
| Door open alarm | Acoustic and visual |
| Antibacterial gasket | Yes |
| Temperature setting type | Electronic |
| No. of compressors | 1 |
| Refrigerant gas type | R600a |
| Compressor type | Inverter |
| Foam agent | Cyclopentane |

Performance / Energy Label NEW

| | | | |
|---------------------------|--------------|--------------------------|--------------|
| Annual energy consumption | 230 KWh/year | Refrigerator compartment | 0.00 cu. ft. |
| Total volume | 0.00 cu. ft. | Total volume | 0.00 cu. ft. |
| Freezer volume | 0.00 cu. ft. | | |

Electrical Connection

| | | | |
|------------------------------|------------------|-------------------|----------|
| Plug | (A) USA & Mexico | Voltage (V) | 120 V |
| Electrical connection rating | 125 W | Frequency (Hz) | 50/60 Hz |
| Current | 2,2 A | Power cord length | 70 7/8 " |



Symbols glossary (TT)



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Antibacterial treatment: antibacterial treatment to ensure better hygiene



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Life Plus 0°C: The temperature in the Lifeplus compartments is kept at 0°C, which preserves fresh meat and fish longer.



Inverter technology: The evolution of Smeg's driers towards more intelligent and environmentally sustainable models has led to the choice of using Inverter technology with heat pumps, which reduces significantly energy consumption.