

FAB28URDBLM3





Product Family Refrigerator Installation Free standing Category One Door

Cooling type Fan assisted refrigerator, static

Automatic for refrigerator, manual for **Defrost**

freezer

Hinge type Standard Not supplied Kitchen panel Hinge position Right

EAN code 8017709340926



Chrome

Decorated / Special

Steel

Yes

Aesthetics

Aesthetic 50's Style Logo colour Colour Matt Black Side material Design Rounded Side colour

Finishing Matt Logo Applied Material Heat-moulded Door shelves profile Chrome

External Handle

Drawers profile color Chrome Handle type Fixed Color of glass shelf Chrome Handle colour Chrome

profile

drawers cover

Refrigerator compartment features



shelves

Number of 2 Crisper Cover Yes compartments Type of Glass

compartment, Fruit and

Compartment types Low temperature crisper/vegetable

vegetable compartment Low temperature No. of adjustable 2 compartment

shelves Internal light in fridge Yes Number of fruit and 1 Type of internal light **LED**

vegetables drawers (fridge) Type of adjustable Glass

On sliding rails Type of crisper/vegetable drawers cover



Refrigerator Inner Door

No. of door shelves with 1

transparent cover

Number of adjustable 1

door shelves

Adjustable door shelves Yes

with wire support

No. of bottle shelves 1
Bottle shelves with wire Yes

support

Other Refrigerator features





Humidity Control Yes

MultiFlow Yes

Fan Yes

Freezer compartment features

Internal freezer compartment

Yes

Other technical features



Door open alarm

Type of temperature control

No. of compressors

Refrigerant gas type
Type of compressor
Refrigerant Quantity (gr)

Foam agent

Acoustic and visual

Electronic

1

R600a Inverter

1.2 oz

Cyclopentane

Performance / Energy Label - Reg. 2019

Annual energy consumption

compartment(s)

the frozen

230 kWh/year

Sum of the volumes of the chill compartment(s)

8.62 cu. ft.

Total net volume Sum of the volumes of 9.53 cu. ft. 0.92 cu. ft.

and the unfrozen compartment(s) Total gross volume

Climate class

0.00 cu. ft. SN, N, ST, T

Electrical Connection

Electrical connection rating

90 W

Frequency (Hz)

50/60 Hz



Current 2,2 A

Voltage (V) 120 V Power supply cable

length

Plug (B) NEMA 5-15P

Logistic Information

Width 23 11/16 "

Depth without handle 28 11/16 "

60 1/4 " Height

Product width with maximum doors opening

Product depth with

handle

Product depth with doors open at 90°

36 7/16 "

70 7/8 "

30 1/4 "

47 1/8 "



Alternative products



FAB28URBE3

Hinge position: Right



FAB28URWH3

Hinge position: Right

White



FAB28URDCA3

Hinge position: Right Decorated / Special



FAB28UROR3

Hinge position: Right

Orange



FAB28URPG3

Hinge position: Right

Pastel green



FAB28URDRB3

Hinge position: Right

Ruby Red



FAB28URDIT3

Hinge position: Right Decorated / Special



FAB28URWHM3

Hinge position: Right

Matt White



FAB28URDUS3

Hinge position: Right Decorated / Special



FAB28URDGC3

Hinge position: Right Decorated / Special



FAB28URLI3

Hinge position: Right

Lime green



FAB28URPB3

Hinge position: Right

Pastel blue



FAB28URBL3

Hinge position: Right

Black



FAB28URCR3

Hinge position: Right

Cream



FAB28UR-DG

Hinge position: Right Decorated / Special



FAB28URDGME3

Hinge position: Right

Decorated / Special



FAB28URDEG3

Hinge position: Right

Emerald Green



FAB28URRD3

Hinge position: Right

Red





FAB28URPK3

Hinge position: Right

Pink



FAB28URDUJ3

Hinge position: Right Decorated / Special



FAB28URYW3

Hinge position: Right Yellow



Symbols glossary



4 stars freezing compartment for better food preservation.




The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



consumption.



Air plus: keeps food fresher for longer.