

FAB28URDBLM3



Product family	Refrigerator
Installation	Free-standing
Category	Single door
Cooling type	Fan-assisted refrigerator, static freezer
Defrost	Automatic for refrigerator, manual for freezer
Hinge	Standard
Kitchen panel	Not supplied
Hinge position	Right
EAN code	8017709340926



Aesthetic

Aesthetics	Retro-style	Logo color	Chromed
Color	Matt Black	Side material	Steel
Design	Rounded	Side color	Decorated / Special
Finishing	Matte	Logo	Applied
Material	Thermo-formed	Door shelf profile color	Chromed
Handle	External	Drawers profile color	Chromed
Handle	Fixed	Glass shelf profile color	Chromed
Handle color	Chromed		

Refrigerator compartment features



Number of compartments	2	Crisper cover	Yes
Compartment types	Low temperature compartment, Fruit and vegetable compartment	Type of crisper cover	Glass
No. of adjustable shelves	2	Low temperature compartment	Yes
Number of fruit and vegetables drawers	1	Refrigerator lighting	Yes
Type of adjustable shelves	Glass	Refrigerator lighting	LED
Crisper drawer type	Sliding crisper		

Refrigerator Inner Door

No. of door shelves with transparent cover	1	No. of bottle shelves	1
Number of adjustable door shelves	1	Door bin with wire support	Yes
Adjustable door bins with wire support	Yes		


Other Refrigerator features

			
Humidity Control	Yes	Fan	Yes
MultiFlow	Yes		

Freezer features

Internal freezer compartment	Yes
------------------------------	-----

Other technical features

	
Door open alarm	Acoustic and visual
Temperature setting type	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Compressor type	Inverter
Refrigerant quantity	1.2 oz
Foam agent	Cyclopentane

Performance / Energy Label

Annual energy consumption	230 kWh/year	Refrigerator compartment	8.62 cu. ft.
Total volume	9.53 cu. ft.	Total volume	0.00 cu. ft.
Freezer volume	0.92 cu. ft.	Climatic class	SN, N, ST, T

Electrical Connection

Electrical connection rating	90 W	Frequency (Hz)	50/60 Hz
Current	2,2 A	Power cord length	70 7/8 "
Voltage (V)	120 V	Plug	(B) NEMA 5-15P

Logistic Information

Width	23 11/16 "
-------	------------



Depth without handle	28 11/16 "	Width with doors open	36 7/16 "
Height	60 1/4 "	at 90°	
		Product depth (handle	30 1/4 "
		included)	
		Depth with door open at	47 1/8 "
		90°	

Alternative products



FAB28URBE3

Hinge position: Right
Blue



FAB28URWH3

Hinge position: Right
White



FAB28URDCA3

Hinge position: Right
Decorated / Special



FAB28UROR3

Hinge position: Right
Orange



FAB28URPG3

Hinge position: Right
Pastel green



FAB28URDRB3

Hinge position: Right
Ruby red



FAB28URBL3

Hinge position: Right
Black

FAB28UR-DG

Hinge position: Right
Decorated / Special



FAB28URDEG3

Hinge position: Right
Emerald green



FAB28URDIT3

Hinge position: Right
Decorated / Special



FAB28URWHM3

Hinge position: Right
Matte white



FAB28URDUS3

Hinge position: Right
Decorated / Special



FAB28URDGC3

Hinge position: Right
Decorated / Special



FAB28URLI3

Hinge position: Right
Lime green



FAB28URPB3

Hinge position: Right
Pastel blue



FAB28URCR3

Hinge position: Right
Cream



FAB28URDGME3

Hinge position: Right
Decorated / Special



FAB28URRD3

Hinge position: Right
Red



FAB28URPK3

Hinge position: Right
Pink



FAB28URYW3

Hinge position: Right
Yellow



FAB28URDUJ3

Hinge position: Right
Decorated / Special

Symbols glossary



4 stars freezing compartment for better food preservation.



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



Inverter technology: The evolution of Smeg's driers towards more intelligent and environmentally sustainable models has led to the choice of using Inverter technology with heat pumps, which reduces significantly energy consumption.



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Air plus: keeps food fresher for longer.