

FAB28URDGM3



| | |
|------------------|--|
| Product family | Refrigerator |
| Installation | Free-standing |
| Category | Single door |
| Reference width | Until 60 |
| Reference height | 100 - 160 |
| Cooling type | Fan-assisted |
| Defrost | Automatic for refrigerator, manual for freezer |
| Hinge position | Right |
| EAN code | 8017709279820 |



Aesthetic

| | | | |
|----------------------------|----------------------|---------------------------|---------------------|
| Aesthetics | Retro-style | Side color | Decorated / Special |
| Color | Decorated / Special | Logo | Applied |
| Decoration / Special color | Maiolica | Door shelf profile color | Chromed |
| Series | Divina Cucina | Drawers profile color | Chromed |
| Collaborations | SMEG & Dolce&Gabbana | Glass shelf profile color | Chromed |
| Side material | Steel | | |

Refrigerator compartment features



| | | | |
|--|-----------------|-----------------------|-------------|
| No. of adjustable shelves | 2 | Type of crisper cover | Glass |
| Number of fruit and vegetables drawers | 1 | LifePlus zone - 32°F | 28° to 37°F |
| Type of adjustable shelves | Glass | Refrigerator lighting | Yes |
| Crisper drawer type | Sliding crisper | Refrigerator lighting | LED |
| Crisper cover | Yes | | |

Refrigerator Inner Door

| | | | |
|--|---|----------------------------|-----|
| No. of door shelves with transparent cover | 1 | No. of bottle shelves | 1 |
| Number of adjustable door shelves | 1 | Door bin with wire support | Yes |

Adjustable door bins with wire support Yes

Other Refrigerator features



MultiFlow

Yes

Fan

Yes

Freezer features

Internal freezer compartment Yes

Other technical features



Door open alarm

Acoustic and visual

Antibacterial gasket

Yes

Temperature setting type

Electronic

No. of compressors

1

Refrigerant gas type

R600a

Compressor type

Inverter

Foam agent

Cyclopentane

Electrical Connection

Plug (A) USA & Mexico

Electrical connection rating 90 W









Current 2.2 A

Voltage (V) 220-240 V

Frequency (Hz) 50/60 Hz

Power cord length 70 7/8 "

Symbols glossary (TT)

- | | | | |
|--|---|---|--|
|  | The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether. |  | Antibacterial treatment: antibacterial treatment to ensure better hygiene |
|  | A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating. |  | Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge. |
|  | LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance. |  | Life Plus 0°C: The temperature in the Lifeplus compartments is kept at 0°C, which preserves fresh meat and fish longer. |
|  | Inverter technology: The evolution of Smeg's driers towards more intelligent and environmentally sustainable models has led to the choice of using Inverter technology with heat pumps, which reduces significantly energy consumption. |  | Air plus: keeps food fresher for longer. |