

FAB28URDGM3



Product family	Refrigerator
Installation	Free-standing
Category	Single door
Reference width	Until 60
Reference height	100 - 160
Cooling type	Fan-assisted
Defrost	Automatic for refrigerator, manual for freezer
Hinge position	Right
EAN code	8017709279820



Aesthetic

Aesthetics	Retro-style	Side color	Decorated / Special
Series	Divina Cucina	Logo	Applied
Color	Decorated / Special	Door shelf profile color	Chromed
Decoration / Special color	Majolica	Drawers profile color	Chromed
Collaborations	SMEG & Dolce&Gabbana	Glass shelf profile color	Chromed
Side material	Steel		

Refrigerator compartment features



No. of adjustable shelves	2	Type of crisper cover	Glass
Number of fruit and vegetables drawers	1	LifePlus zone - 32°F	28° to 37°F
Type of adjustable shelves	Glass	Refrigerator lighting	Yes
Crisper drawer type	Sliding crisper	Refrigerator lighting	LED
Crisper cover	Yes		

Refrigerator Inner Door

No. of door shelves with transparent cover	1	No. of bottle shelves	1
Number of adjustable door shelves	1	Door bin with wire support	Yes

Adjustable door bins with wire support Yes

Other Refrigerator features



MultiFlow

Yes

Fan

Yes

Freezer features

Internal freezer compartment Yes

Other technical features



Door open alarm

Acoustic and visual

Antibacterial gasket

Yes

Temperature setting type

Electronic

No. of compressors

1

Refrigerant gas type

R600a

Compressor type

Inverter

Foam agent










Cyclopentane

Electrical Connection

Plug (A) USA & Mexico
 Electrical connection rating 90 W
 Current 2,2 A

Voltage (V) 220-240 V
 Frequency (Hz) 50/60 Hz
 Power cord length 70 7/8 "

Symbols glossary

-  4 stars freezing compartment for better food preservation.
-  The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.
-  Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.
-  Life Plus 0°C: The temperature in the Lifeplus compartments is kept at 0°C, which preserves fresh meat and fish longer.
-  Air plus: keeps food fresher for longer.
-  A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.
-  Antibacterial treatment: antibacterial treatment to ensure better hygiene
-  LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.
-  Inverter technology: The evolution of Smeg's driers towards more intelligent and environmentally sustainable models has led to the choice of using Inverter technology with heat pumps, which reduces significantly energy consumption.

Benefit (TT)

Plastic multiflow system

The Multiflow system ensures even distribution of cold air inside the refrigerator

Fan

The fan contributes to an even distribution of air inside the refrigerator

Refrigerant gas R600a

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

Climate class

Climatic class SN-T makes the appliance suitable for working at room temperature between 10 °C and 43 °C (50 °F ~ 109 °F)

External handle

The external handle ensures practicality and ease of use of the refrigerator

Refrigerator Internal lighting

Interior lighting for perfect visibility of shelves in the refrigerator compartment

Fruit and vegetable drawer

The fruit and vegetable drawer ensures the best storage conditions for fresh food, avoiding any contamination

Inverter compressor

Inverter compressor reduces noise and vibration levels for a quiet and comfortable kitchen environment

Inverter compressor technology offers significant advantages for refrigeration systems, improving both performance and efficiency. Better temperature control ensures a more stable and constant indoor environment, preserving the freshness of food. This technology also results in reduced energy consumption, as the compressor adjusts its speed according to cooling needs.