FAB28URDRB3



Product Family	Refrigerator
Installation	Free standing
Category	One Door
Cooling type	Fan assisted refrigerator, static freezer
Defrost	Automatic for refrigerator, manual for freezer
Hinge type	Standard
Hinge position	Right
EAN code	8017709340933

Aesthetics

Aesthetic	50's Style	**Logo colour**	Chrome
Colour	Ruby Red	**Side material**	Steel
Design	Rounded	**Side colour**	Decorated / Special
Finishing	Matt	**Logo**	Applied
Material	Heat-moulded	**Door shelves profile color**	Chrome
Handle	External		
Handle type	Fixed	**Drawers profile color**	Chrome
Handle colour	Chrome	**Color of glass shelf profile**	Chrome

Refrigerator compartment features

Number of compartments	2	**Crisper Cover**	Yes
Compartment types	Low temperature compartment, Fruit and vegetable compartment	**Type of crisper/vegetable drawers cover**	Glass
No. of adjustable shelves	2	**Low temperature compartment**	Yes
Number of fruit and vegetables drawers	1	**Internal light in fridge**	Yes
Shelves material	Glass	**Type of internal light (fridge)**	LED
Type of crisper/vegetable drawers cover	On sliding rails		

Refrigerator Inner Door

No. of door shelves with transparent cover	1	**No. of bottle shelves**	1
Number of adjustable door shelves	1	**Bottle shelves with wire support**	Yes
Adjustable door shelves with wire support	Yes		

Other Refrigerator features



Humidity Control	Yes	**Fan**	Yes
MultiFlow	Yes		

Freezer compartment features

Internal freezer compartment	Yes

Other technical features



Door open alarm	Acoustic and visual
Type of temperature control	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Inverter
No. of evaporators	2
Refrigerant Quantity (gr)	1.2 oz
Foam agent	Cyclopentane

Performance / Energy Label - Reg. 2019

Annual energy consumption	230 kWh/year	**Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)**	8.6 cu. ft.
Total net volume	9.5 cu. ft.		
Sum of the volumes of the frozen compartment(s)	0.9 cu. ft.	**Total gross volume**	0.0 cu. ft.
		Climate class	SN, N, ST, T

Electrical Connection

Electrical connection rating	90 W	**Frequency (Hz)**	50/60 Hz

Current	2,2 A	**Power supply cable length**	70 7/8 "
Voltage (V)	120 V	**Plug**	(F;E) Schuko

Logistic Information

Width	23 11/16 "	**Product width with maximum doors opening**	36 7/16 "
Depth without handle	28 11/16 "	**Product depth with handle**	30 1/4 "
Height	60 1/4 "	**Product depth with doors open at 90°**	47 1/8 "

Alternative products



FAB28URBE3

Hinge position: Right
Blue



FAB28URWH3

Hinge position: Right
White



FAB28UROR3

Hinge position: Right
Orange



FAB28URPG3

Hinge position: Right
Pastel green



FAB28URPB3

Hinge position: Right
Pastel blue



FAB28URCR3

Hinge position: Right
Cream



FAB28URDIT3

Hinge position: Right
Decorated / Special



FAB28URDUS3

Hinge position: Right
Decorated / Special



FAB28URDGC3

Hinge position: Right
Decorated / Special



FAB28URLI3

Hinge position: Right
Lime green



FAB28URBL3

Hinge position: Right
Black

FAB28UR-DG

Hinge position: Right
Decorated / Special



FAB28URDGME3

Hinge position: Right
Decorated / Special



FAB28URPK3

Hinge position: Right
Pink



FAB28URYW3

Hinge position: Right
Yellow



FAB28URRD3

Hinge position: Right
Red



FAB28URDUJ3

Hinge position: Right
Decorated / Special

Symbols glossary



4 stars freezing compartment for better food preservation.



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption.



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Air plus: keeps food fresher for longer.