

FAB30RPK5



Product Family Refrigerator Installation Free standing Top Mount Category Reference width Until 60 cm

Cooling type Fan assisted refrigerator, static

freezer **Defrost** Manual Hinge type Standard Right Hinge position

EAN code 8017709297817



Aesthetics

Aesthetic 50's Style Logo colour Chrome Colour Pink Side material Steel Side colour Design Rounded Pink **Finishing** Glossy Logo **Applied** Material Heat-moulded Door shelves profile Chrome

Handle External

Drawers profile color Fixed Handle type Color of glass shelf Handle colour Chrome

profile

Alternative colours

available

Orange, Pastel blue, White, Blue, Black, Cream, Pink, Red, Silver, Pastel green,

Lime green

Yes

Yes

Chrome

Chrome

Refrigerator compartment features



Number of 2 Crisper Cover Yes compartments Type of Glass

Compartment types Low temperature crisper/vegetable compartment, Fruit and drawers cover

vegetable compartment Low temperature No. of adjustable 2 compartment

shelves Internal light in fridge

Number of fruit and 1 Type of internal light **LED** vegetables drawers

(fridge) Type of adjustable Glass

shelves

SMEG SPA 2025/11/01



Type of crisper/vegetable drawers cover

On sliding rails

Refrigerator Inner Door

No. of door shelves with 1 transparent cover

Number of adjustable

door shelves

Adjustable door shelves Yes

with wire support

No. of bottle shelves Bottle shelves with wire Yes support

Other Refrigerator features





MultiFlow

Yes

Fan

Yes

Freezer compartment features

No. of shelves 1 Type of shelves

Wire

Other technical features



Door open alarm

Type of temperature control

No. of compressors

Refrigerant gas type Type of compressor Refrigerant Quantity (gr)

Foam agent

Acoustic and visual

Electronic

R600a Inverter

70 g

Cyclopentane

Performance / Energy Label - Reg. 2019



Annual energy

consumption

Energy efficiency class Airborne acoustical noise emission class

Total net volume Sum of the volumes of

the frozen compartment(s) 168 kWh/a

D

С

294 I 72 I

Airborne acoustical noise emissions

Temperature Rise Time 4 star - Freezing

capacity

Climate class EEI

SN, N, ST, T

4 kg/24h

30 h

37 dB(A) re 1 pW

80 %

SMEG SPA 2025/11/01



Sum of the volumes of 222 I the chill compartment(s) and the unfrozen compartment(s)

Electrical Connection

Electrical connection 100 W

rating

Current 0,8 A

Voltage (V) 220-240 V Frequency (Hz) Power supply cable

length

Plug

50/60 Hz

180 cm

(F;E) Schuko

Logistic Information

Width 600 mm Depth without handle 728 mm 1720 mm Height

Product width with 926 mm

maximum doors opening

Product depth with handle

Product depth with


doors open at 90°


Spacer depth


768 mm


1197 mm

20 mm









SMEG SPA 2025/11/01



Alternative products



FAB30RWH5

Hinge position: Right White



FAB30RCR5

Hinge position: Right Cream



FAB30RBL5

Hinge position: Right Black



FAB30RRD5

Hinge position: Right

Red



FAB30RPG5

Hinge position: Right

Pastel green



FAB30ROR5

Hinge position: Right Orange



FAB30RLI5

Hinge position: Right

Lime green



FAB30RPB5

Hinge position: Right

Pastel blue



FAB30RSV5

Hinge position: Right

Silver



FAB30RBE5

Hinge position: Right

Blue

SMEG SPA 2025/11/01



Symbols glossary



4 stars freezing compartment for better food preservation.



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption.



Energy efficiency class D



A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet.

SMEG SPA 2025/11/01